

Classroom Select® Mobile Table with Benches

Rectangle with Black frame



Elliptical with Chrome Frame



Octagon with Chrome Frame



Round in Folded Position



Students can gather around for mealtimes with the open seating access and ample surface of the Classroom Select® Mobile Table with Benches equipped with 4 fixed benches. Thanks to an exclusive torsion bar easy-lift system and non-pinching two-stage security lock, this mobile table holds the two-seam, 8-inch-long top in any desired position—from fully open and flat for spreading out lunches or materials, semi-open/closed for easier sweeping and mopping, to completely closed in a vertical upright position for compact storage. This table provides a custom yet universal fit for any Grade K to 12 cafeteria, auditorium, or lecture hall.



[Visit ClassroomSelect.com](http://ClassroomSelect.com) for complete warranty details.

FEATURES

- Folding mobile cafeteria table with attached benches
- Exclusive torsion bar easy-lift system, providing for smooth and easy opening and closing
- Two-stage security lock secures table in fully open and midway open positions for floor maintenance, cleaning and to prevent hand or finger pinching
- Tamper-resistant lock nuts on all down lock assemblies include a self-adjusting hinge lock to ensure the down lock engages every time
- Units feature a new wider storage lock catch with vertical adjustment that ensures the table always locks safely into the folded position
- Storage latch includes release levers on either side to enable unlocking without the need to reach in
- The storage latch locks automatically in the up-right storage position
- Table tops and benches are constructed of high pressure laminate bonded to a $\frac{3}{4}$ " core.
- Choose from furniture grade particleboard core with T-mold edge, MDF core with LockEdge® or plywood core with either LockEdge® or T-mold edge
- Your choice of any of our exciting assortment of laminate colors including, woodgrains, patterns, and solid colors
- T-Mold laminate top features a $1\frac{1}{8}$ " thick particleboard or plywood core with a high pressure laminate surface and phenolic backer sheet to minimize warping.
- Black LockEdge® laminate top feature a $1\frac{1}{8}$ " MDF or plywood core and sealed with a polyurethane edge that offers easier cleaning and added durability
- Easy to clean laminate tops with soap, water, and an optional diluted bleach solution
- Choose from an array of 23 vibrant T-Mold edge colors for overall room color coordination
- Each bench unit has 6 walk-in entry points; center leg bench support has exclusive curved design to prevent tripping during entry
- 29" standard height. Additional heights of 25", 27" or 32" available as well as wheelchair positions

SPECIFICATIONS

CONSTRUCTION

- 14-gauge steel under-structure and legs are available in textured powdercoated black and chrome options
- High Pressure laminate is made up of a wear-resistant overlay, that is impact-resistant
- High Pressure laminate offers long-lasting function and performance
- Vinyl T-mold edge banding is secured using a spot-nail from the bottom to prevent it from pulling away from the edge
- LockEdge® polyurethane coating is sprayed directly on to edge surfaces, creating a permanent seal that is impervious to bacteria and moisture for easier maintenance and long-lasting durability
- Tamper-resistant table top/bench top and serrated Hex-head screws and thick Type A threading provide superior holding power to frame and can be serviced easily in the field
- Benches are reinforced with 16-gauge aprons and table tops with 14-gauge aprons for additional strength
- Safety tested and listed by Underwriter's Laboratories, Inc.

CASTERS

- 4" heavy duty double ball bearing swivel caster is non-marring, durable, and makes opening and closing tables a snap
- The weight capacity for each is 275 lb
- Tamper-proof nylon steel insert glides and tube closures will not break or fall apart
- Lift-off casters eliminate tripping hazards because they do not protrude outside the tabletop footprint area

MODELS

ITEM NUMBER	TOP TYPE	EDGE TYPE	SIZE OPEN LXWXH (IN)	SIZE FOLDED LXWXH (IN)	TABLE TOP WXL (IN)	BENCH TOP WXL (IN)	TABLE/BENCH HEIGHT (IN)	SEATING (CHILDREN)	SEATING (ADULTS)	ADA GROUP OPTION
8' Rectangle Bench										
1433653	ParticleBoard	T-Mold	8'1 x 56 x 29	34½ x 56 x 59¾	30 x 97	10 x 42	29/17	8-12	8	1
1433654	MDF	LockEdge®	8'1 x 56 x 29	34½ x 56 x 59¾	30 x 97	10 x 42	29/17	8-12	8	1
1433655	Plywood	T-Mold	8'1 x 56 x 29	34½ x 56 x 59¾	30 x 97	10 x 42	29/17	8-12	8	1
1433656	Plywood	LockEdge®	8'1 x 56 x 29	34½ x 56 x 59¾	30 x 97	10 x 42	29/17	8-12	8	1
1433657	ParticleBoard	T-Mold	8'1 x 56 x 29	34½ x 56 x 59 ¾	30 x 97	10 x 42	29/17	8-12	8	1
1433658	MDF	LockEdge®	8'1 x 56 x 29	34½ x 56 x 59¾	30 x 97	10 x 42	29/17	8-12	8	1
1433659	Plywood	T-Mold	8'1 x 56 x 29	34½ x 56 x 59¾	30 x 97	10 x 42	29/17	8-12	8	1
1433660	Plywood	LockEdge®	8'1 x 56 x 29	34½ x 56 x 59¾	30 x 97	10 x 42	29/17	8-12	8	1
10' Rectangle Bench										
1433661	ParticleBoard	T-Mold	10'1 x 56 x 29	35 x 56 x 68½	30 x 121	10 x 49½	29/17	12	8-12	1
1433662	MDF	LockEdge®	10'1 x 56 x 29	35 x 56 x 68½	30 x 121	10 x 49½	29/17	12	8-12	1
1433663	Plywood	T-Mold	10'1 x 56 x 29	35 x 56 x 68½	30 x 121	10 x 49½	29/17	12	8-12	1
1433664	Plywood	LockEdge®	10'1 x 56 x 29	35 x 56 x 68½	30 x 121	10 x 49½	29/17	12	8-12	1
1433665	ParticleBoard	T-Mold	10'1 x 56 x 29	35 x 56 x 68½	30 x 121	10 x 49½	29/17	12	8-12	1
1433666	MDF	LockEdge®	10'1 x 56 x 29	35 x 56 x 68½	30 x 121	10 x 49½	29/17	12	8-12	1
1433667	Plywood	T-Mold	10'1 x 56 x 29	35 x 56 x 68½	30 x 121	10 x 49½	29/17	12	8-12	1
1433668	Plywood	LockEdge®	10'1 x 56 x 29	35 x 56 x 68½	30 x 121	10 x 49½	29/17	12	8-12	1

MODELS


ITEM NUMBER	TOP TYPE	EDGE TYPE	SIZE OPEN LXWXH (IN)	SIZE FOLDED LXWXH (IN)	TABLE TOP WXL (IN)	BENCH TOP WXL (IN)	TABLE/BENCH HEIGHT (IN)	SEATING (CHILDREN)	SEATING (ADULTS)	ADA GROUP OPTION
12' Rectangle Bench										
1433669	ParticleBoard	T-Mold	12'1 x 56 x 29	35½ x 56 x 81	30 x 145	10 x 62¾	29/17	16	12-16	1,2,3
1433670	MDF	LockEdge®	12'1 x 56 x 29	35½ x 56 x 81	30 x 145	10 x 62¾	29/17	16	12-16	1,2,3
1433671	Plywood	T-Mold	12'1 x 56 x 29	35½ x 56 x 81	30 x 145	10 x 62¾	29/17	16	12-16	1,2,3
1433672	Plywood	LockEdge®	12'1 x 56 x 29	35½ x 56 x 81	30 x 145	10 x 62¾	29/17	16	12-16	1,2,3
1433673	ParticleBoard	T-Mold	12'1 x 56 x 29	35½ x 56 x 81	30 x 145	10 x 62¾	29/17	16	12-16	1,2,3
1433674	MDF	LockEdge®	12'1 x 56 x 29	35½ x 56 x 81	30 x 145	10 x 62¾	29/17	16	12-16	1,2,3
1433675	Plywood	T-Mold	12'1 x 56 x 29	35½ x 56 x 81	30 x 145	10 x 62¾	29/17	16	12-16	1,2,3
1433676	Plywood	LockEdge®	12'1 x 56 x 29	35½ x 56 x 81	30 x 145	10 x 62¾	29/17	16	12-16	1,2,3
10' Elliptical Bench										
1441000	Particleboard	T-Mold	10'1 x 71½ x 29	34 x 71½ x 73½	45 x 121	11¼ x 56¾	29/17	12	8-12	1,2,3
1441001	MDF	LockEdge®	10'1 x 71½ x 29	34 x 71½ x 73½	45 x 121	11¼ x 56¾	29/17	12	8-12	1,2,3
1441002	Plywood	T-Mold	10'1 x 71½ x 29	34 x 71½ x 73½	45 x 121	11¼ x 56¾	29/17	12	8-12	1,2,3
1441003	Plywood	LockEdge®	10'1 x 71½ x 29	34 x 71½ x 73½	45 x 121	11¼ x 56¾	29/17	12	8-12	1,2,3
1441004	Particleboard	T-Mold	10'1 x 71½ x 29	34 x 71½ x 73½	45 x 121	11¼ x 56¾	29/17	12	8-12	1,2,3
1441005	MDF	LockEdge®	10'1 x 71½ x 29	34 x 71½ x 73½	45 x 121	11¼ x 56¾	29/17	12	8-12	1,2,3
1441006	Plywood	T-Mold	10'1 x 71½ x 29	34 x 71½ x 73½	45 x 121	11¼ x 56¾	29/17	12	8-12	1,2,3
1441007	Plywood	LockEdge®	10'1 x 71½ x 29	34 x 71½ x 73½	45 x 121	11¼ x 56¾	29/17	12	8-12	1,2,3

MODELS

ITEM NUMBER	TOP TYPE	EDGE TYPE	SIZE OPEN LXWXH (IN)	SIZE FOLDED LXWXH (IN)	TABLE TOP WXL (IN)	BENCH TOP WXL (IN)	TABLE/BENCH HEIGHT (IN)	SEATING (CHILDREN)	SEATING (ADULTS)	ADA GROUP OPTION
60" Round Bench										
1441008	Particleboard	T-Mold	85 x 82 x 29	34 x 85 x 54½	60 x 60	11¼ x 50	29/17	8	8	2,3
1441009	MDF	LockEdge®	85 x 82 x 29	34 x 85 x 54½	60 x 60	11¼ x 50	29/17	8	8	2,3
1441010	Plywood	T-Mold	85 x 82 x 29	34 x 85 x 54½	60 x 60	11¼ x 50	29/17	8	8	2,3
1441011	Plywood	LockEdge®	85 x 82 x 29	34 x 85 x 54½	60 x 60	11¼ x 50	29/17	8	8	2,3
1441012	Particleboard	T-Mold	85 x 82 x 29	34 x 85 x 54½	60 x 60	11¼ x 50	29/17	8	8	2,3
1441013	MDF	LockEdge®	85 x 82 x 29	34 x 85 x 54½	60 x 60	11¼ x 50	29/17	8	8	2,3
1441014	Plywood	T-Mold	85 x 82 x 29	34 x 85 x 54½	60 x 60	11¼ x 50	29/17	8	8	2,3
1441015	Plywood	LockEdge®	85 x 82 x 29	34 x 85 x 54½	60 x 60	11¼ x 50	29/17	8	8	2,3
60" Octagon Bench										
5002824	Particleboard	T-Mold	85 x 82 x 29	34 x 85 x 54½	60 x 60	11¼ x 50	29/17	8	8	2,3
5002849	MDF	LockEdge®	85 x 82 x 29	34 x 85 x 54½	60 x 60	11¼ x 50	29/17	8	8	2,3
5002850	Plywood	T-Mold	85 x 82 x 29	34 x 85 x 54½	60 x 60	11¼ x 50	29/17	8	8	2,3
5002851	Plywood	LockEdge®	85 x 82 x 29	34 x 85 x 54½	60 x 60	11¼ x 50	29/17	8	8	2,3
5002852	Particleboard	T-Mold	85 x 82 x 29	34 x 85 x 54½	60 x 60	11¼ x 50	29/17	8	8	2,3
5002853	MDF	LockEdge®	85 x 82 x 29	34 x 85 x 54½	60 x 60	11¼ x 50	29/17	8	8	2,3
5002854	Plywood	T-Mold	85 x 82 x 29	34 x 85 x 54½	60 x 60	11¼ x 50	29/17	8	8	2,3
5002855	Plywood	LockEdge®	85 x 82 x 29	34 x 85 x 54½	60 x 60	11¼ x 50	29/17	8	8	2,3



Extra-durable LockEdge® coating is sprayed on, creating a permanent seal that is impervious to bacteria and moisture




T-mold Edge Band is spot-nailed to prevent it from pulling away from the edge



Exclusive Curved Frame Design
Eliminates a Trip Point



Storage Latch Release Levers on
Either Side for Easy Access



ADA GROUP OPTIONS

Group 1 is the standard option. For Groups 2 and 3, please contact your School Specialty Account Manager for ADA configurations

- Group #1 ADA accessible 29"H STANDARD PRODUCTION table. ADA Seat is at ends or sides of table*
- Group #2 ADA accessible/compliant 29" or 32" high ADA table. Attached seating may be removed for ADA seat*
- Group #3 ADA COMPLIANT 29" or 32" high table. Attached seating may be removed for ADA seat*

* May not provide full knee clearance on some sizes and positions

FINISH OPTIONS

LAMINATE



LOCKEDGE® COLORS


 Ebony
 (Black)

T-MOLD EDGE


 Ebony
 (Black)

FRAME COLORS



Black

Chrome

TABLE CORE OPTIONS



MDF

Particleboard

Plywood


 PRODUCT CERTIFIED
 FOR LOW CHEMICAL
 EMISSIONS:
 UL.COM/GG
 UL 2818