Material Safety Data Sheet	CH	HROMACR	YL STU	ENTS!	ACDVI TOO	
CHROMA ACRYLICS, INC.			HROMACRYL STUDENTS' ACRYLICS y (Trade Name As Used On Laben)			
Manufacturer	MSDS M	Yumber*		108-3	07/361490	
205 BUCKY DRIVE	======================================					
Address LITITZ, PA 17543	CAS Number* 3/02 Date Prepared Revid April 2002 Prepared By* Note: Blank spaces are not permitted. If any item is not applicable, or information is available, the space must be marked to indicate the space of					
(717) 626-8866 Phone Number (For Information)						
(717) 626-8866						
Emergency Phone Number Telex*						
SECTION 1 - MATERIAL IDENTIFICATION AND I						
COMPONENTS — Chemical Name & Common Names (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)	er)	%*	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED	
PRODUCT IS WATER BASED, NON-TOXIC, NO	ON-					
HAZARDOUS ACRYLIC COLORS IN LIQUID FO						
CERTIFIED NON-TOXIC BY (ART & CRAFT		- 7.5				
MATERIALS INSTITUTE).						
1. WATER						
2. VARIOUS COLORED PIGMENTS						
3. ACRYLIC EMULSION	1000					
4. ACRYLIC THICKENERS						
5. PRESERVATIVE-NON HAZARDOUS AT LEVI	ET.	-			Company of the Compan	
USED.	CD					
Non-#ALL INGREDIENTS THE SAME FOR TUBE	S. PIN	TS.				
TOTAL AND HALF	GALLO	NS. 100				
SECTION 2 - PHYSICAL / CHEMICAL CHARACTE	ERISTIC	S	10 Seale # 200 Seal 220		ALIENSAM PROGRAMM	
Bailing	Specific					
Point 215-275°F Vapor Pressure	(H₂O = 1) NOT KNOWN Melting					
(mm Hg and Temperature) NOT KNOWN Vapor Density	Point NOT KNOWN Evaporation Rate					
(Air = 1) LIGHTER THAN AIR Solubility	(= 1) SLOWER THAN ETHER					
in Water TOTALLY SOLUBLE	Water Reactive NOT KNOWN					
Appearance and Odor LIQUID ACRYLIC PAINTS IN ASSOR	omen C	OT ORG				
SECTION 3 - FIRE AND EXPLOSION HAZARD DA		OLOKS,				
Flash Point and Auto-Ignition	Flammabilit	tv Limits in		LEL	TUEL	
Method Used N/A Temperature N/A Extinguisher	Air % by Volume N/A UNKNOWN UNKNOW					
Media N/A Special Fire		· · · · · · · · · · · · · · · · · · ·				
Fighting Procedures N/A		المناسوات		- 89		
Unusual Fire and					denoral est	
Explosion Hazards N/A		2000000000			6	
acceptable To I am I a						

. 1