

Material Name: Krazy Glue All-Purpose Glue Series

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

SDS ID: SDS-79

Material Name

Krazy Glue All-Purpose Glue Series

Synonyms

KG517, KG583, KG925, KG945, KG824, KG825, KG852, KG585

Chemical Family

Cyanoacrylate containing adhesive.

Restrictions on Use

None known.

Manufacturer Information

Elmer's Products, Inc 460 Polaris Parkway, Suite 500 Westerville, OH 43082 USA

Phone:1-888-435-6377 Fax:1-800-741-6046

Email:comments@elmers.com

Emergency Phone Number: Poison Control Center 1-888-516-2502

For additional product information, access our website at www.elmers.com. To place an order, call 1-800-848-9400.

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Flammable Liquids - Category 4 Serious Eye Damage/Eye Irritation - Category 2A Skin Sensitization - Category 1A Reproductive Toxicity - Category 2 Specific Target Organ Toxicity - Single Exposure - Category 3

Page 1 of 10 Issue date: 2015-03-27 Revision 1.0 Print date: 2015-03-27



SDS ID: SDS-79

Material Name: Krazy Glue All-Purpose Glue Series GHS Label Elements

Symbol(s)





Signal Word

Warning

Hazard Statement(s)

Combustible liquid

Causes serious eye irritation

May cause allergic skin reaction

Suspected of damaging fertility or the unborn child

May cause respiratory irritation

Precautionary Statement(s)

Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Keep away from heat/sparks/open flame/hot surfaces - No smoking

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapours/spray

Wash thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace

Response

In case of fire: Use appropriate media to extinguish

IF exposed or concerned: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Specific treatment (see label)

Storage

Store in a well-ventilated place. Keep container tightly closed

Keep cool

Store locked up

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations

Page 2 of 10 Issue date: 2015-03-27 Revision 1.0 Print date: 2015-03-27



Material Name: Krazy Glue All-Purpose Glue Series

Other Hazards

No additional information is available.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

SDS ID: SDS-79

CAS	Component Name	Percent		
7085-85-0	Ethyl cyanoacrylate	>95		
119-47-1	2,2'-Methylenebis(4-methyl-6-tert-butylphenol)	0.10		

Section 4 - FIRST AID MEASURES

Description of Necessary Measures

IF exposed or concerned: Get medical advice/attention.

Inhalation

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

Skin

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Peel or roll the surfaces apart using a blunt edge, such as a spatula or spoon handle.

Eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Immediately call a POISON CENTER.

Most Important Symptoms/Effects

Acute

May cause respiratory irritation, eye irritation. May cause allergic skin reaction.

Delayed

Suspected of damaging fertility or the unborn child.

Page 3 of 10 Issue date: 2015-03-27 Revision 1.0 Print date: 2015-03-27



Material Name: Krazy Glue All-Purpose Glue Series

Section 5 - FIRE FIGHTING MEASURES

SDS ID: SDS-79

Extinguishing Media

Suitable Extinguishing Media

Use carbon dioxide, regular dry chemical, regular foam or water.

Unsuitable Extinguishing Media

Do not use high-pressure water streams.

Special Hazards Arising from the Chemical

Combustible liquid

Hazardous Combustion Products

oxides of carbon

Special Protective Equipment and Precautions for Firefighters

Vapors may form explosive mixtures with air. Vapors can travel considerable distances to a source of ignition where they can ignite, flash back, or explode. Vapors are heavier than air. Prevent entry into waterways, sewers, basements, or confined areas. May explode when heated.

Fire Fighting Measures

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure. Move container from fire area if it can be done without risk. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Cool containers with water spray until well after the fire is out. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn. Do not scatter spilled material with high-pressure water streams.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas. Ventilate closed spaces before entering.

Methods and Materials for Containment and Cleaning Up

Eliminate all sources of ignition. Do not touch or walk through spilled material. Stop leak if possible without personal risk. Prevent entry into waterways, sewers, basements, or confined areas. Reduce vapors with water spray. Absorb with earth, sand or other non-combustible material and transfer to container. Use non-sparking tools. Large spills: Dike for later disposal.

Environmental Precautions

Avoid release to the environment.

Page 4 of 10 Issue date: 2015-03-27 Revision 1.0 Print date: 2015-03-27



Material Name: Krazy Glue All-Purpose Glue Series

Section 7 - HANDLING AND STORAGE

SDS ID: SDS-79

Precautions for Safe Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flame/hot surfaces - No smoking. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

Conditions for Safe Storage, Including any Incompatibilities

Store in a well-ventilated place. Keep container tightly closed

Keep cool

Store locked up

Avoid contact with water or moisture. Keep away from heat and ignition sources. Keep away from incompatible materials. Protect from sunlight.

Incompatible Materials

alcohols, amines, bases

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Ethyl cyanoacrylate	7085-85-0
ACGIH:	0.2 ppm TWA

Biological limit value

There are no biological limit values for any of this product's components.

Engineering Controls

Provide local exhaust ventilation system. Ensure adequate ventilation.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear splash resistant safety goggles. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin Protection

Wear appropriate chemical resistant clothing.

Respiratory Protection

Under conditions of frequent use or heavy exposure, respiratory protection may be needed. A NIOSH approved air-purifying respirator with an appropriate cartridge or canister may be appropriate under certain circumstances where airborne concentrations are expected to exceed exposure limits.

Glove Recommendations

Wear appropriate chemical resistant gloves.

Page 5 of 10 Issue date: 2015-03-27 Revision 1.0 Print date: 2015-03-27



Material Name: Krazy Glue All-Purpose Glue Series

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

SDS ID: SDS-79

Appearance	Clear, colorless liquid	Physical State	liquid	
Odor	irritating odor Color		Not available	
Odor Threshold	Not available	рН	Not available	
Melting Point	Not available	Boiling Point	62 °C	
Freezing point	-22 °C	Evaporation Rate	Not available	
Boiling Point Range	Not available	Flammability (solid, gas)	Not available	
Autoignition	Not available	Flash Point	83 °C	
Lower Explosive Limit	Not available	Decomposition	Not available	
Upper Explosive Limit	Not available	Vapor Pressure	0.13 mmHg (@ 20 °C)	
Vapor Density (air=1)	>1	Specific Gravity (water=1)	Not available	
Water Solubility	insoluble (causes rapid polymerization)	Partition coefficient: n-octanol/water	Not available	
Viscosity	40 cps @ 25 °C	Solubility (Other)	Not available	
Density	1.05 g/cm3	voc	0 g/L (SCAQMD Method 316B)	

Section 10 - STABILITY AND REACTIVITY

Reactivity

May polymerize when heated. Avoid contact with water or moisture. Avoid contact with light.

Chemical Stability

Unstable at elevated temperatures.

Possibility of Hazardous Reactions

May polymerize. Avoid contact with water or moisture.

Conditions to Avoid

Avoid heat, flames, sparks and other sources of ignition. Containers may rupture or explode if exposed to heat. Keep out of water supplies and sewers. Avoid contact with water or moisture.

Incompatible Materials

alcohols, amines, bases

Page 6 of 10 Issue date: 2015-03-27 Revision 1.0 Print date: 2015-03-27



Material Name: Krazy Glue All-Purpose Glue Series

Hazardous decomposition products

oxides of carbon

Section 11 - TOXICOLOGICAL INFORMATION

SDS ID: SDS-79

Information on Likely Routes of Exposure

Inhalation

May cause respiratory irritation.

Skin Contact

May cause allergic skin reaction.

Eye Contact

Causes eye irritation.

Ingestion

No information on significant adverse effects.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Ethyl cyanoacrylate (7085-85-0)

Oral LD50 Rat >5 mL/kg

2,2'-Methylenebis(4-methyl-6-tert-butylphenol) (119-47-1)

Oral LD50 Rat >10000 mg/kg

Dermal LD50 Rabbit >10000 mg/kg

Immediate Effects

May cause respiratory irritation, eye irritation. May cause allergic skin reaction.

Delayed Effects

Suspected of damaging fertility or the unborn child.

Irritation/Corrosivity Data

May cause respiratory irritation, eye irritation.

Respiratory Sensitization

No information available for the product.

Dermal Sensitization

May cause allergic skin reaction.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA

Germ Cell Mutagenicity

No information available for the product.

Reproductive Toxicity

Suspected of damaging fertility or the unborn child.

Page 7 of 10 Issue date: 2015-03-27 Revision 1.0 Print date: 2015-03-27



SDS ID: SDS-79

Material Name: Krazy Glue All-Purpose Glue Series

Specific Target Organ Toxicity - Single Exposure

Respiratory system

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

No information available for the product.

Medical Conditions Aggravated by Exposure

No data available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with all applicable regulations.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

UN/NA #: Not Regulated

IATA Information: UN#: Not Regulated

TDG Information: UN#: Not Regulated

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C)

Acute Health: Yes Chronic Health: Yes Fire: Yes Pressure: No Reactivity: No

Page 8 of 10 Issue date: 2015-03-27 Revision 1.0 Print date: 2015-03-27



SDS ID: SDS-79

Material Name: Krazy Glue All-Purpose Glue Series

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Ethyl cyanoacrylate	7085-85-0	No	No	No	Yes	No

Not listed under California Proposition 65

WHMIS Classification

B3, D2A, D2B

Component Analysis - Inventory

Ethyl cyanoacrylate (7085-85-0)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

2,2'-Methylenebis(4-methyl-6-tert-butylphenol) (119-47-1)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Ye	s DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 2 Fire: 2 Reactivity: 1

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes New SDS: 3/17/2015

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute

Page 9 of 10 Issue date: 2015-03-27 Revision 1.0 Print date: 2015-03-27



Material Name: Krazy Glue All-Purpose Glue Series

for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

SDS ID: SDS-79

Other Information

Disclaimer:

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.

Page 10 of 10 Issue date: 2015-03-27 Revision 1.0 Print date: 2015-03-27