May be used to comply with

Health Haggest(Acute and Chronic)

OSHA's Hazard Communication Standard,

29 CFR 1910.1200. Standard Must Be Consulted for Specific Requirements

Reud Jan 2002

Occupational Safety and Health Administration

(Non-Mandatory Form)

Form Approved OMB No. 1218-0072

146-813/405982

IDENTITY (As Used on Label and List)
Prang Semimoist Water Colors

CECTION		- Indiana	The second secon	-			
SECTION							
Manufacturer's Name DIXON TICONDEROGA			Emergency Telephone Number (419) 625-9545				
Address (Number, Street, City, State, and ZIP)			Telephone Number for Informatio				
1706 HAYES AVENUE SANDUSKY, OHIO 44870			Date Prepared 12/19/01				
·		Signature of Preparer (optional)					
SECTION II - HAZARDOUS INGRE	EDIENTS/INDENTITY INFORMATION				<del></del>	-	
Hazardous Components		<del></del>					-
(Specific Chemical Identity; Common Nam	c(s)) (	OSHA PEL	ACGIH TLV	Other Limits ACGIH TLV Recommende %Optional			
Materials Institute, Inc. are certified subject to review by the Institute's To	roducts or AP Approved Products seals in a program of Toxicological evaluation oxicological Advisory Board, to contain r numans or cause acute or chronic health	by a Medica no materials	l expert,				
SECTION III - PHYSICAL/CHEMIC	AL CHARACTERISTICS				<del>7 - 7</del>		1
Boiling Point	NA		Specific Gravity (H2O = 1) NA				
Vapor Pressure (mm Hg) NA			Melting Point N/A				
Vapor Density (Air≃l)	NA	Evaporation Rate (Butyl Acetate = 1) NA					
Solubility In Water	Miscible with water (a water-based product with insolubles)						
Appearance and Odor	Assorted colored cakes, no o		at war moodatoo)				
SECTION IV - FIRE AND EXPLOSI	ON HAZARD DATA						
Flash Point (Method Used)			Flammable Limits		LEL	UEL	
Extinguishing Media	N/A			N/A	N/A		N/A
_	Water Spray, Foam, CO2 to ignition by fire and may release toxic	or other irrita	nting gases				
Unusual Fire and Explosion Hazards A self contained breathing apparat	tus should be used for this exposure.						
(Reproduce Locally)		_	OSHA 174, SEPT. 19	85			
SECTION V - REACTIVITY DATA							
Stability	Unstable	Conditions To Avoid NONE					
	Stable YES						
Incompatibility (Materials To Avoid)		NONE					
Hazardous Decomposition or Byproducts As with all burning organic matter, C	arbon Monoxide and other toxic fumes n	nay be given	off.				
Hazardous	Azardous Conditions To Avoid						
Polymerization	Will Not Occur YES		NONE				
SECTION VI - HEALTH HAZARD D		<del> </del>					
Route(s) Of Entry:	Inhalation?	<del></del>	Skin?	المجاوزة ده بيديد جواند دوسه	Ingestion?	-	<del> </del>
		NO	YES		Y	ES	

<i>#</i>	Conforms to A	ASTM D-4236				
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?			
Signs and Symptoms of Exposure	N/A		N/A	N/A		
Signs and Symptoms of Exposure	N/A					
Medical Conditions Generally Agr	gravated by Exposure					
	N/A					
Emergency and First Aid Procedu						
_	h copious amounts of water and contact a physicia					
Contact with si	rinWash area with soap and water; Ingestion-se	ek medical attention;				
SECTION VII - PRECAUTIO	NS FOR SAFE HANDLING AND USE					
Steps to Be Taken in Case Materia	I Is Released or Spilled	· · · · · · · · · · · · · · · · · · ·				
	Cont	Contain and place in approved containers.				
Waste Disposal Method						
	· · · · · · · · · · · · · · · · · · ·	ose of per all Local, State, an	d Federal Regulations.			
Precautions to Be Taken in Handli	-	ot store near heat or open fla	me			
Other Precautions						
	None					
SECTION VIII - CONTROL I	WEASURES					
Respiratory Protection (specify Ty	pe)					
		N/A				
Ventilation	Local Exhaust	Special	N/A			
	Mechanical (General)	Other	N/A			
	OKAY	Other	N/A			
Protective Gloves		Eye Protection				
	N/A		YES			
Other Protective Clothing or Equi	puscat					
-		N/A				
Work/Hygenic Practices	Contents will stain most fabrics was af-	amaaka alauna ata ta sestaa	4			
	Contents will stain most fabrics, use of personel clothing is suggested. Wash I	, <b>.</b> .				
	personer croming is suggested. Washi	idino dilu sullaces dilei use	•			

Page 2

\* USGPO 1986-491-529/45775