May be used to comply with
OSHA's Hajzard Communication Standard,
29 CFR 1910.1200. Standard Musi. Be
Consulted for Specific Requirements

Health Hampis (Acute and Chronic)

ı

Occupational Safety and Health Administration (Non-Mandatory Form)
Form Approved

001263

OMB No. 1218-0072 IDENTITY (As Used on Label and List) NOTE: Black spaces are not permitted. If any item is not applicable, or no Prang Semimolst Water Colors . Marion is available, the space must be marind to indicate that SECTION Manufactures's Name Emergency Telephone Number DIXON TICONDEROGA (419) 625-9545 Address (Number. Street, City, State, and IIP) Telephone Number for Information (419) 625-9545 1706 HAYES AVENUE Date Prepared SANDUSKÝ, OHIO 44870 12/05/01 Signature of Proparer (optional) SECTION II - HAZARDOUS INGRIEDIENTS/INDENTITY INFORMATION Humedons Components Other Limits (Specific Chemical Identity; Common Name(a)) OSHA PEL ACGIN TLY Recommende %Optional Products bearing the CP Certified Froducts or AP Approved Products seals of the Art and Creative Materials institute, inc. are certified in a program of Toxicological evaluation by a Medical expert. subject to review by the Institute's Toxicological Advisory Board, to contain no materials in sufficient quantities to be toxic or injurious to humans or cause acute or chronic health problems. CONFORMS TO ASTM-4236 SECTION DI - PHYSICAL/CHEMKIAL CHARACTERISTICS Boiling Point Specific Gravity (H2O = 1) NA NA Vapor Prossure (mm Hg) Melcing Point NA N/A Vapor Density (Alr=1) Evaporation Rate NA (Botyl Acetate = 1) NA Solubility In Water Miscible with water (a water-based product with insolubles) Appearance and Odor Assorted colored cakes, no odor, SECTION W - FIRE AND EXPLOSION HAZARD DATA Flash Point (Method Used) Florensble Limits LEL UEL N/A N/A N/A N/A Extinguishing Media Water Spray, Foam, CO2 Special Fire Righting Procedures Containers may be subject to ignition by fire and may release toxic or other irritating gases Unneral Firemed Explasion Hazards A self contained breathing apparatus should be used for this exposure. (Reproduce Locally) OSHA 174, SEPT. 1985 SECTION Y - REACTIVITY DATA Stability Unatable Capditions Ta Avoid Stable NONE YES Incompatibility (Materials Ta Avoid) NONE Hazardous Dicomposition or Byproducts As with all burning organic matter, Carbon Monoxide and other toxic fumes may be given off. Hazardess May Occur Conditions To Avaid l'alymerization Will Nat Occar NONE YES SECTION VI - HEALTH HAZARD DATA Inhalation? Route(s) Of Hatry: Skla? Ingestion? NO YES YES

		Confor	ms to ASTM D-4236			
Сагонодшких:		NTPT	NTP? IARC Monographs?		OSHA Regulated?	
			N/A	N/A	- N/A	
Signs and Sy	ppiemt of Expeases					
	<u> </u>	N	<u>/A</u>			
Medical Con-	ditions Generally Approvated				<i>:</i>	
	<u> </u>	N	/A			
Emergency #	and First Aid Procedures	_				
		ius amounts of water and contact a p	. •			
	Contact with skin-Wi	ish area with soap and water; Ingest	ion—seek medical attention;			
SECTION	VII - PRECAUTIONS FO	R SAFE HANDLING AND USE				
Steps to De T	Aken in Case Material Is Reis	ared or Spilled				
•	£		Contain and place in approv	ed containers.		
Waste Disper	iel Method	!				
	t .	·	Dispose of per all Local, Sta	ite, and Federal Regulations.		
Frecautions	to Be Takes in Headling and	Storing				
	i	<u> </u>	Do not store near heat or op	en flame.		
Other Preca	dtiqus					
	<u> </u>	None				
SECTION	VIII - CONTROL MEAS	URES				
Respiratory	relection (specify Type)					
	\		N/A			
Ventilation	•	Local Exhaust	Special			
		! 0	KAY	N/A		
		Mechanical (General)	Other			
	•	'i o	KAY	N/A		
Protective Groves			Rye Protect			
i	<u> </u>	N/A.		YES		
Other Press	tive Clothing or Equipment		N/A			
		*	(V/A			
Work/Hygel	uc Fractions	Contents will stain most fabrics,	una of amontes alouas ato to	numbert		
•	•	personal clothing is suggested.				
		personal citating is suggested.	ARGON HEIGH STRINGES BLACK	д уга.		