

Page 1/7

# Safety Data Sheet acc. to ISO/DIS 11014

Printing date 06/05/2012

Reviewed on 06/05/2012

	pany/undertaking
Product identifier	
Trade name: <u>Start Right</u>	
Article number: NL064E	
Details of the supplier of the safety data sheet Manufacturer/Supplier: United Pet Group 3001 Commerce Street Blacksburg, VA 24060-6671 USA	
• Information department: For information call: 800-342-3449 • Emergency telephone number: Chemtrec: 800-424-9300	
P Hazards identification	
Classification of the substance or mixture	
GHS07	
H319 Causes serious eye irritation.	
Classification as a line to Divert Courter Divert 1 100	0/45/EC Not applicable
Information concerning particular hazards for human and enviro The product does not have to be labelled due to the calculation pro	onment: cedure of international guidelines.
Classification system: The classification was made according to the latest editions of inte	onment: cedure of international guidelines.
Information concerning particular hazards for human and enviro The product does not have to be labelled due to the calculation pro Classification system: The classification was made according to the latest editions of inte from company and literature data.	onment: cedure of international guidelines. ernational substances lists, and expanded upo
Information concerning particular hazards for human and enviro The product does not have to be labelled due to the calculation pro Classification system: The classification was made according to the latest editions of inte from company and literature data. Label elements Labelling according to EU guidelines: Observe the general safety regulations when handling chemicals. The product is not subject to identification regulations according to Classification system:	onment: cedure of international guidelines. ernational substances lists, and expanded upo
Information concerning particular hazards for human and environ The product does not have to be labelled due to the calculation pro Classification system: The classification was made according to the latest editions of inter- from company and literature data. Label elements Labelling according to EU guidelines: Observe the general safety regulations when handling chemicals. The product is not subject to identification regulations according to Classification system: NFPA ratings (scale 0 - 4) Health = 0 Fire = 0	onment: cedure of international guidelines. ernational substances lists, and expanded upo
Information concerning particular hazards for human and environ The product does not have to be labelled due to the calculation pro- Classification system: The classification was made according to the latest editions of inter- from company and literature data. Label elements Labelling according to EU guidelines: Observe the general safety regulations when handling chemicals. The product is not subject to identification regulations according to Classification system: NFPA ratings (scale 0 - 4) Health = 0 Fire = 0 Reactivity = 0	onment: cedure of international guidelines. ernational substances lists, and expanded upo

(Contd. on page 2)

#### \_\_ Safety Data Sheet acc. to ISO/DIS 11014

Printing date 06/05/2012

Reviewed on 06/05/2012

(1) H319

Trade name: Start Right

(Contd, of page 1)

10-<20%

### 3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

#### · Dangerous components:

7772-98-7 Sodium Thiosulphate

#### 4 First aid measures

- Description of first aid measures
- General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- \* After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- \* Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### 5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \* Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections
- No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### 7 Handling and storage

- Handling:
- \* Precautions for safe handling No special measures required.
- \* Information about protection against explosions and fires: No special measures required.

(Contd. on page 3)

Printing date 06/05/2012

Reviewed on 06/05/2012

Trade name: Start Right

(Contd. of page 2)

- \* Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- \* Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- Control parameters
- Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Personal protective equipment:
- "General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- Breathing equipment: Not required.
- Protection of hands:
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

Information on basic physical and cl General Information	nemical properties	
Appearance:		
Form:	Fluid	
Color:	According to product specification	
Odor:	Characteristic	
Odour threshold:	Not determined.	
pH-value at 20°C (68 °F):	7	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	

### Safety Data Sheet acc. to ISO/DIS 11014

Printing date 06/05/2012

Reviewed on 06/05/2012

Trade name: Start Right

		(Contd. of page 3
Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
• Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20°C (68 °F):	1 g/cm <sup>3</sup> (8.345 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not determined.	
• Evaporation rate	Not determined.	
• Solubility in / Miscibility with		
Water:	Fully miscible.	
Segregation coefficient (n-octonol/w	ater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Solids content:	0.1 %	
Other information	No further relevant information available.	

### 10 Stability and reactivity

Reactivity

\* Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- \* Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

Information on toxicological effects

• Acute toxicity:

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.

(Contd. on page 5)

## Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 06/05/2012

Reviewed on 06/05/2012

(Contd. of page 4)

3

#### Trade name: Start Right

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

#### Carcinogenic categories

IARC (International Agency for Research on Cancer)

9003-39-8 Polyvinylpyrrolidone

NTP (National Toxicology Program)

None of the ingredients is listed.

#### 12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- <sup>2</sup>Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.
- \*Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Void	

#### Safety Data Sheet acc. to ISO/DIS 11014

Printing date 06/05/2012

Reviewed on 06/05/2012

Trade name: Start Right

		(Contd. of page 5
Packing group DOT, ADR, IMDG, IATA	Void	
• Environmental hazards: • Marine pollutant:	No	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.	
UN "Model Regulation":	1 <b>2</b> ()	

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

7772-98-7 Sodium Thiosulphate

7647-14-5 Sodium Chloride

9003-39-8 Polyvinylpyrrolidone 497-19-8 Sodium Carbonate

111-30-8 Glutaral

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity: None of the ingredients is listed.

Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

111-30-8 Glutaral

• NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed.

none of the ingreatents is fisted.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 7)

A4

## Safety Data Sheet acc. to ISO/DIS 11014

Printing date 06/05/2012

Reviewed on 06/05/2012

Trade name: Start Right

(Contd. of page 6)

#### • Product related hazard informations:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations according to directives on hazardous materials.

\* Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- \* Department issuing MSDS: Product safety department.
- Contact: Dr. Schobert
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

USA



# Safety data sheet Sudan<sup>®</sup> M Red 380

Revision date : 2007/01/05

Version: 2.0

Page: 1/6 (30054677/MDS\_GEN\_US/EN)

1. Substance/preparation and company identification

Company BASF CORPORATION 100 Campus Drive Florham Park, NJ 07932 24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP

Chemical family: Synonyms:

azo dyes C.I. Solvent Red 24, C.I. 26105

#### 2. Composition/information on ingredients

CAS Number 85-83-6 842-07-9

<u>Content (W/W)</u> >= 93.0 - <= 98.0 % >= 2.0 - <= 7.0 %

Chemical name SOLVENT RED 24 SOLVENT YELLOW 14

#### 3. Hazard identification

#### Emergency overview

CAUTION: May cause sensitization by skin contact. Avoid inhalation of dusts. Word initiation of ouss. Use with local exhaust ventilation. Wear a NIOSH-certified (or equivalent) particulate respirator. Wear NIOSH-certified chemical goggles. Wear protective clothing.

#### Potential health effects

Primary routes of exposure

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

Repeated dose toxicity: No other known chronic effects.

#### 4. First-aid measures

#### General advice:

Immediately remove contaminated clothing.

#### Safety data sheet Sudan® M Red 380

Revision date : 2007/01/05

Page: 2/6 (30054677/MDS\_GEN\_US/EN)

Version: 2.0

If inhaled: If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

#### If on skin:

Wash affected areas thoroughly with soap and water. Seek medical attention.

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

Seek medical attention.

If swallowed: Immediately rinse mouth and then drink plenty of water, do not induce vomiting, seek medical attention. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

#### Note to physician Freatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

#### 5. Fire-fighting measures

Autoignition:

No data available

Suitable extinguishing media: dry extinguishing media, foam

Unsuitable extinguishing media for safety reasons: carbon dioxide

Additional information: Avoid whirling up the material/product because of the danger of dust explosion.

Hazards during fire-fighting: harmful vapours

Evolution of fumes/log. The substances/groups of substances mentioned can be released in case of fire.

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### Further information:

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

#### Accidental release measures

Personal precautions: Avoid dust formation. Use personal protective clothing.

#### Environmental precautions:

Contain contaminated water/lirelighting water. Do not discharge into drains/surface waters/groundwater.

## Cleanup: Avoid raising dust.

For small amounts: Pick up with suitable appliance and dispose of. For large amounts: Contain with dust binding material and dispose of.

Safety data sheet Sudan<sup>®</sup> M Red 380 Revision date : 2007/01/05 Version: 2,0

Page: 3/6 (30054877/MDS\_GEN\_US/EN)

#### 7. Handling and storage

Handling

General advice:

Closed containers should only be opened in well-ventilated areas.

Protection against fire and explosion: Avoid dust formation. Take precautionary measures against static discharges.

Storage

General advice: Keep container tightly closed and dry; store in a cool place.

#### 8. Exposure controls and personal protection

Advice on system design: Provide local exhaust ventilation to control dust.

Personal protective equipment

Respiratory protection: Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Hand protection: Chemical resistant protective gloves

Eye protection: Tightly fitting safety goggles (chemical goggles).

Body protection: Impermeable protective clothing

General safety and hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

#### 9. Physical and chemical properties

Form: Odour: Colour: pH value: melting range:	powder product specific red approx. 7 180 - 190 °C	( 10 g/l, 20 °C) (as suspension)
Solubility in water:		insoluble
Solubility in other solvents:	< 1 g/l	(20 °C)

10. Stability and reactivity

Conditions to avoid: Avoid moisture.

Substances to avoid: No substances known that should be avoided.

Hazardous reactions:

The product may contain explosive fine dust or such dust may be produced by abrasion during transport or product transfer.

# Safety data sheet Sudan<sup>®</sup> M Red 380

Revision date : 2007/01/05

Version: 2.0

Page: 4/6 (30054677/MDS\_GEN\_US/EN)

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

#### Thermal decomposition: 260 °C

Thermal decomposition above the indicated temperature is possible.

Corrosion to metals: No corrosive effect on metal.

#### 11. Toxicological information

#### Acute toxicity

Oral: LD50/rat: > 5,000 mg/kg

Skin irritation: rabbit: non-irritant (Draize test)

Eye trritation : rabbit: non-irritant (Draize test)

Sensitization: sensitizing

#### Chronic toxicity

Other information:

With azo dyes there is a suspicion that the azo groups can be enzymatically cleaved in the body. This substance can lead to the formation of another substance. The toxic properties of the subsequent product sould be considered.

Information on: Ortho-Toluidine Evidence for Genotoxicity in vitro available (Arnes test positive). Carcinogenic in animal tests after oral administration. During animal tests methaemoglobin formation was observed. Skin resolption hazard.

#### 12. Ecological information

#### Environmental fate and transport

Biodegradation: Evaluation:

The product is not very soluble in water and can thus be removed from water mechanically in suitable effluent treatment pits.

Adsorbable organically-bound halogen (AOX):

This product contains no organically-bound halogen.

# Safety data sheet Sudan<sup>®</sup> M Red 380 Revision date : 2007/01/05

Version: 2.0

Page: 5/6 (30054677/MDS\_GEN\_US/EN)

#### 13. Disposal considerations

Waste disposal of substance: Incinerate in a licensed facility. Do not discharge substance/product into sewer system. Dispose of in a RCRA-licensed facility. Must be dumped or incinerated in accordance with local regulations.

#### Container disposal:

Uncontaminated packaging can be re-used. Packs that cannot be cleaned should be disposed of in the same manner as the contents. Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

RCRA: NONE

#### 14. Transport information

Land transport USDOT

Not classified as a dangerous good under transport regulations

Sea transport IMDG

Not classified as a dangerous good under transport regulations

Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

#### 15. Regulatory information

Federal Regulations	
Registration status: TSCA, US	released / listed
TSCA, US	released / listed
OSHA hazard category:	Acute target organ effects reported, Sensitizer

SARA hazard categories (EPCRA 311/312): Acute

#### 16. Other information

HMIS III rating Health: 1 Flammability: 1 Physical hazard: 0

# Safety data sheet Sudan<sup>®</sup> M Red 380

Revision date : 2007/01/05 Version: 2.0

Page: 6/6 (30054677/MDS\_GEN\_US/EN)

HMIS uses a numbering scale rainging from 0 to 4 to indicate the degree of hazard. A value of zero means that the substance possesses essentially no hazard; a rating of four indicates high hazard.

Sudan is a registered trademark of BASF Corporation or BASF AG IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY BASF HEREUNDER ARE GIVEN GRATIS AND BASF ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET

## SAFETY DATA SHEET

SECTION I: II	DENTIF	ICATION							
PRODUCT	ITP P.E. F	OAM PROFILES AN	ND EXTRU	ISIONS	MANUFACTURER	NAME & A	ADDRESS:		
IDENTIFIER:	(WITH BLAC	CK PIGMENT)			INDUSTRIAL THERMO POLYMERS				
CHEMICAL	POLYETH				(Owned and Operated by Armacell Canada Inc.)				
IDENTITY:					153 VAN KIRK DRIVE				
RECOMMENDED		AGING, CUSHIONING, SOUND DAMPENII			G, BRAMPTON, ONTARIO , L7A 1A4				
USE	INSULATIO	DN,SEALING, FLOATA	TION etc.		PHONE NO.: 1-905-846-3666				
RESTRICTION OF	NONE				FAX NO.: 1-905-846-0363				
USE					<b>EMERGENCY PHONE NO.:</b> 1-800-387-3847				
		D(S) IDENTIFIC							
<ul> <li>POLYETHYLENE</li> </ul>	EXTRUD	ED FOAM PRODUC	TS ARE C	LASSIFIE	D BY OSHA AS "NOI	N HAZARD	OUS".		
- PE FOAM PRODU	JCTS ARE	MADE FROM POLY	ETHYLEN	IE RESIN ,	, ADDITIVES AND IS	OBUTANE	.(MORE DETAILS IN SEC.3.)		
- ISOBUTANE, A F	LAMABLE	HYDROCARBON IS	USED AS		G AGENT.SMALL TF	RACES OF	THIS GAS MAY BE		
							S ABOVE THE LOWER		
FLAMMABLE LIMIT	S (LFL) IF	LARGE QUANTITIE	S OF THIS	S PRODUC	CT ARE STORED IN	UNVENTI	_ATED AREAS.		
ROUTES OF	SWALLO		SORBTION	J	INHALATION	SKIN CO	NTACT EYE CONTACT		
EXPOSURE:				•					
EFFECTS OF A SIN									
SWALLOWING:		CHOKING - MECHA		OCKAGE					
SKIN ABSORBTION	N-	NOT LIKELY.							
INHALATION:		-	CAUSE RE		TO NOSE ,THROAT		S		
SKIN CONTACT:		NON IRRITATING T				011 20110			
EYE CONTACT:					USE IRRITATION TO	) EYES			
OTHER EFFECTS		NOT KNOWN	FOAM DUST MAY CAUSE IRRITATION TO EYES						
SECTION 3 · COM	IPOSITI	ON / INFORMATIC			STI				
020110110100									
INGREDIEN	тѕ	CAS NO.	WEIGHT %		EXPOSURE LIMITS ACGIH - TLV*		-		
POLYETHYL		9002-88-4	75% -100%		NA				
ISOBUTAN		75-28-5	- 800 PP						
			3.5 m						
CARDON BLACK 1333-00-4 0%-5% 3.5		3.5 11	ig/iii						
* Annulis shine nanulis si si	<b>T</b> I \ // =	-1:44							
* Applicable provincial									
* Specific chemical nar	mes and pe	rcentage in the mix has	been withh	eld to prote	ct trade secret.				
SECTION 4 : FIR	ST AID M	EASURES		1					
SWALLOWING:				<u>SKIN CO</u>	NTACT:				
CONSULT PHYSIC	AN			WASH W	ITH SOAP AND WA	TER			
INHALATION:				EYE COM	NTACT:				
MOVE TO FRESH	AIR. SEEK	MEDICAL ATTENT	ION IF	FLUSH E	YES WITH CLEAN L	UKEWARI	M WATER. CONSULT		
BREATHING PROB	LEMS PER	RSISTS.	-	PHYSICI		-			
				<u>l</u>					
		HTING MEAS	IRES						
							RESULTS IN CLASS A FIRE.		

2. FIRE TO BE EXTINGUISHED BY USING WATER FOG OR FINE SPRAY. SOAK THE PRODUCT WITH WATER TO COOL AND SMOTHER.
 3. FIRE WILL CAUSE DENSE SMOKE. USE SELF-CONTAINED BREATHING APPRATUS AND FULL PROTECTIVE CLOTHING.

4. FIRE WILL RESULT IN INTENSE HEAT AND SMOLDERING. EXTINGUISHMENT IS BY COOLING WITH WATER.

5. OTHER FIRE EXTINGUISHERS (DRY CHEMICAL, FOAM OR CO2 EXTINGUISHERS) MAY BE USED FOR EXTINGUISHMENT. 6. CHEMICAL/GASEOUS HAZARDS LIKE CO, CO2 AND CARBON MAY BE PRODUCED FROM THE SMOLDERING SUBSTANCES AND FIRE.

## SAFETY DATA SHEET

### SECTION 6: ACCIDENTAL RELEASE MEASURES

PE FOAM IS COMBUSTIBLE. SHOULD NOT BE EXPOSED TO SPARKS OR OPEN FLAME. RESULTS IN CLASS 'A' FIRE.

#### **SECTION 7: HANDLING AND STORAGE**

- PE FOAM IS COMBUSTIBLE AND SHOULD NOT BE EXPOSED TO SPARKS OR OPEN FLAME. WHEN BURNS, WILL RELEASE TOXIC GASES LIKE CO .

-WHEN FABRICATING OR CUTTING , THIS PRODUCT MAY RELEASE TRAPPED ISOBUTANE FROM THE FOAM CELLS. ADEQUATE VENTILATION IS A MUST.

- PE FOAM SHOULD BE STORED IN COOL, DRY AND WELL VENTILATED LOCATIONS. ISOBUTANE GAS MAY ACCUMULATE AROUND THE PRODUCT.

- PE FOAM IS INCOMPATIBLE WITH STRONG OXIDIZING AGENTS LIKE, CL2 ,H2O2 , KNO3 ,H2SO4.

#### SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

- NOT NECESSARY OTHER THAN STATED IN SECTION 2

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

SOLID	FREEZING POINT:	N/A	SPECIFIC GRAVITY VAPOUR	N/A
N/A	VAP. PRESS at 20°C:	N/A	MOLECULAR WEIGHT:	N/A
0.01 - 0.15	SOLUBILITY IN WATER	INSOLUBLE	COEFFICIENT OF WATER /	N/A
+ 212°F	EVAPORATION RATE	N/A	OIL DISTRIBUTION:	N/A
0-30 lbs/cuft	% VOLATILES BY VOLUME:	N/A	VAPOUR DENSITY	N/A
CLOSED CELL FOAM	ODOR:	NEGLIGIBLE	ODOR THRESHOLD:	N/A
	N/A 0.01 - 0.15 + 212°F 0-30 lbs/cuft	N/A         VAP. PRESS at 20°C:           0.01 - 0.15         SOLUBILITY IN WATER           + 212°F         EVAPORATION RATE	N/A         VAP. PRESS at 20°C:         N/A           0.01 - 0.15         SOLUBILITY IN WATER         INSOLUBLE           + 212°F         EVAPORATION RATE         N/A           0-30 lbs/cuft         % VOLATILES BY VOLUME:         N/A	N/A     VAP. PRESS at 20°C:     N/A     MOLECULAR WEIGHT:       0.01 - 0.15     SOLUBILITY IN WATER     INSOLUBLE     COEFFICIENT OF WATER /       + 212°F     EVAPORATION RATE     N/A     OIL DISTRIBUTION:       0-30 lbs/cuft     % VOLATILES BY VOLUME:     N/A     VAPOUR DENSITY

### **SECTION 10 : STABILITY AND REACTIVITY**

- PE FOAM IS STABLE AND NON-REACTIVE. OTHER THAN CONDITIONS STATED IN SECTION 5 ,6 & 7

#### SECTION 11 : TOXICOLOGICAL INFORMATION

- PE FOAM HAS NO CARCINGENIC SUBSTANCES. IT IS NOT LISTED IN : IARC & NTP

ROUTES OF EXPOSURE : SWALLOWING FOAM DUST INHALATION SKIN CONTACT EYE CONTACT EFFECTS OF ABOVE EXPOSURE STATED IN SECTION 4

#### **SECTION 12 : ECOLOGICAL INFORMATION**

- PE FOAM DOES NOT EXHIBIT ANY SIGNIFICANT BIODEGRADATION.

### SECTION 13 : DISPOSAL CONSIDERATIONS

- PE FOAM CAN BE REPROCESSED OR CAN BE DISPOSED OFF IN LANDFILL

#### **SECTION 14 : TRANSPORT INFORMATION**

- PE FOAM HAS SOME RESIDUAL ISOBUTANE AND HENCE TO BE TRANSPORTED IN VENTILATED TRAILERS.

#### SECTION 15 : REGULATORY INFORMATION

- PE FOAM HAS NO CARCINGENIC SUBSTANCES AND IS CLASSIFIED AS NON HAZARDOUS UNDER THE FEDERAL OSHA STANDARDS.

#### **SECTION 16 : OTHER INFORMATION**

PREPARED BY / DEPARTMENT	PHONE NUMBER	DATE UPDATED
HARENDRA RATHOD / QA DEPARTMENT	905-846-36660 / 1-800-387-3847	April 16, 2015

FOR INFORMATION : Visit Web: www.tundrafoam.com or Email: info@tundrafoam.com