

| Version 1.0 | Revision Date 02/23/2015 | Print Date 04/19/2016 |
|-------------|--------------------------|-----------------------|
|             |                          |                       |

# SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

| Material name                | :    | A07760 TM COUNTRY GARDEN 30% 12n6.6                     |
|------------------------------|------|---|
| Material number              | :    | 0000000001042786  |
| Manufacturer or supplier's o | leta | ails  |
| Company                      | :    | Zep Inc.  |
| Address                      | :    | 1310 Seaboard Industrial Blvd., NW<br>Atlanta, GA 30318 |
| Telephone                    | :    | 404-352-1680  |

| Emergency telephone numbers |   |  |
|-----------------------------|---|--|
| For SDS Information         | : | Compliance Services 1-877-428-9937           |
| For a Medical Emergency     | : | 877-541-2016 Toll Free - All Calls Recorded  |
| For a Transportation        | : | CHEMTREC: 800-424-9300 - All Calls Recorded. |
| Emergency                   |   | In the District of Columbia 202-483-7616     |

## SECTION 2. HAZARDS IDENTIFICATION

## **Emergency Overview**

| Appearance | Aerosol containing a liquefied gas |
|------------|------------------------------------|
| Colour     | colourless                         |
| Odour      | characteristic                     |

## **GHS Classification**

| Flammable aerosols<br>Gases under pressure<br>Eye irritation<br>Skin sensitisation<br>Specific target organ toxicity -<br>single exposure | <ul> <li>Category 1</li> <li>Liquefied gas</li> <li>Category 2A</li> <li>Category 1</li> <li>Category 3 (Central nervous system)</li> </ul>  |
|---|--|
| GHS Label element   |  |
| Hazard pictograms   |  |
| Signal word   | : Danger   |
| Hazard statements   | <ul> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> </ul> |
| Precautionary statements  | : <b>Prevention:</b><br>P210 Keep away from heat, hot surfaces, sparks, open flames  |



| rsion 1.0                | Revision Date 02/23/2015   | Print Date 04/19/2016  |  |  |
|--------------------------|--|--|--|--|
|                          | and other ignition sources. No sm<br>P211 Do not spray on an open fla<br>P251 Pressurized container: Do r<br>use.<br>P261 Avoid breathing dust/ fume/<br>P264 Wash skin thoroughly after<br>P271 Use only outdoors or in a w<br>P272 Contaminated work clothing<br>the workplace.<br>P280 Wear eye protection/ face p<br>P280 Wear protective gloves.  | ame or other ignition source.<br>not pierce or burn, even after<br>gas/mist/vapours/spray.<br>handling.<br>rell-ventilated area.<br>g should not be allowed out of |  |  |
|                          | <ul> <li>Response:</li> <li>P302 + P352 IF ON SKIN: Wash with plenty of soap and wate</li> <li>P304 + P340 + P312 IF INHALED: Remove victim to fresh air</li> <li>and keep at rest in a position comfortable for breathing. Call a</li> <li>POISON CENTER or doctor/ physician if you feel unwell.</li> <li>P305 + P351 + P338 IF IN EYES: Rinse cautiously with water</li> <li>for several minutes. Remove contact lenses, if present and</li> <li>easy to do. Continue rinsing.</li> <li>P333 + P313 If skin irritation or rash occurs: Get medical</li> <li>advice/ attention.</li> <li>P363 Wash contaminated clothing before reuse.</li> <li>Storage:</li> <li>P405 Store locked up.</li> <li>P410 + P412 Protect from sunlight. Do not expose to</li> <li>temperatures exceeding 50 °C/ 122 °F.</li> <li>P403 Store in a well-ventilated place.</li> <li>Disposal:</li> <li>P501 Dispose of contents/container in accordance with local</li> </ul> |  |  |  |
| Potential Health Effects |  |  |  |  |
| Carcinogenicity:         |  |  |  |  |
| IARC                     | No component of this product presen<br>equal to 0.1% is identified as probabl<br>human carcinogen by IARC.   |  |  |  |
| ACGIH                    | No component of this product presen<br>equal to 0.1% is identified as a carcir<br>carcinogen by ACGIH.   |  |  |  |
| OSHA                     | No component of this product presen equal to 0.1% is identified as a carcir  |  |  |  |
| NTP                      | carcinogen by OSHA.<br>No component of this product present at levels greater than or<br>equal to 0.1% is identified as a known or anticipated carcinogen<br>by NTP.   |  |  |  |

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components



Version 1.0 Revision Date 02/23/2015 Print Date 04/19/2016 CAS-No. Chemical Name Concentration [%] acetone 67-64-1 >= 70 - < 90 74-98-6 >= 10 - < 20 propane alpha-hexylcinnamaldehyde 101-86-0 >= 0.1 - < 1 7-hydroxycitronellal 107-75-5 >= 0.1 - < 1

# **SECTION 4. FIRST AID MEASURES**

| General advice          | : Move out of dangerous area.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.   |
|-------------------------|--|
| lf inhaled              | <ul> <li>Remove to fresh air.</li> <li>Consult a physician after significant exposure.</li> <li>If unconscious place in recovery position and seek medical advice.</li> </ul>  |
| In case of skin contact | <ul> <li>Wash off immediately with plenty of water for at least 15 minutes.</li> <li>If skin irritation persists, call a physician.</li> <li>If on clothes, remove clothes.</li> </ul>   |
| In case of eye contact  | <ul> <li>Rinse immediately with plenty of water for at least 15 minutes.<br/>If eye irritation persists, consult a specialist.<br/>Remove contact lenses.<br/>Protect unharmed eye.<br/>Keep eye wide open while rinsing.</li> </ul>   |
| If swallowed            | <ul> <li>Keep respiratory tract clear.<br/>Drink 1 or 2 glasses of water.<br/>Never give anything by mouth to an unconscious person.<br/>If symptoms persist, call a physician.<br/>DO NOT induce vomiting unless directed to do so by a<br/>physician or poison control center.<br/>Take victim immediately to hospital.</li> </ul> |

## **SECTION 5. FIREFIGHTING MEASURES**

| Suitable extinguishing media         | Foam<br>Carbon dioxide (CO2)<br>Water spray jet<br>Dry chemical                                       |       |
|--------------------------------------|---|-------|
| Unsuitable extinguishing media       | High volume water jet   |       |
| Specific hazards during firefighting | Do not allow run-off from fire fighting to enter drains or courses.                                   | water |
| Hazardous combustion products        | Carbon dioxide (CO2)<br>Carbon monoxide<br>Smoke  |       |
| Specific extinguishing methods       | Use extinguishing measures that are appropriate to loc circumstances and the surrounding environment. | al    |



| Version 1.0                                   | Revision Date 02/23/2015   | Print Date 04/19/2016   |
|---|--|---|
| Further information                           | : Standard procedure for chemical f<br>For safety reasons in case of fire,<br>separately in closed containments<br>Use a water spray to cool fully clo<br>Collect contaminated fire extinguis<br>must not be discharged into drains<br>Fire residues and contaminated fir<br>be disposed of in accordance with | cans should be stored<br>sed containers.<br>shing water separately. This<br>s.<br>re extinguishing water must |
| Special protective equipment for firefighters | : Wear self-contained breathing app necessary.   | paratus for firefighting if   |

## SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions,<br>protective equipment and<br>emergency procedures | <ul> <li>Use personal protective equipment.<br/>Ensure adequate ventilation.<br/>Remove all sources of ignition.<br/>Evacuate personnel to safe areas.<br/>Beware of vapours accumulating to form explosive<br/>concentrations. Vapours can accumulate in low areas.</li> </ul> |
|---|---|
| Environmental precautions   | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains inform<br>respective authorities.  |
| Methods and materials for containment and cleaning up                     | <ul> <li>Soak up with inert absorbent material (e.g. sand, silica gel,<br/>acid binder, universal binder, sawdust).</li> <li>Sweep up or vacuum up spillage and collect in suitable<br/>container for disposal.</li> </ul>  |

## SECTION 7. HANDLING AND STORAGE

| Advice on safe handling     | <ul> <li>Do not puncture.</li> <li>Avoid exposure - obtain special instructions before use.</li> <li>Avoid contact with skin and eyes.</li> <li>For personal protection see section 8.</li> <li>Do not breathe vapours or spray mist.</li> <li>Take precautionary measures against static discharges.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> <li>Always replace cap after use.</li> </ul> |
|-----------------------------|---|
| Conditions for safe storage | <ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.<br/>No smoking.</li> <li>Observe label precautions.<br/>Keep in a dry, cool and well-ventilated place.<br/>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>   |



Version 1.0

Revision Date 02/23/2015

Print Date 04/19/2016

Materials to avoid : Store and keep away from, oxidizing agents and acids.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

| Components | CAS-No. | Value type<br>(Form of<br>exposure) | Control<br>parameters /<br>Permissible<br>concentration | Basis     |
|------------|---------|-------------------------------------|---|-----------|
| acetone    | 67-64-1 | TWA                                 | 500 ppm   | ACGIH     |
|            |         | STEL                                | 750 ppm   | ACGIH     |
|            |         | TWA                                 | 250 ppm<br>590 mg/m3                                    | NIOSH REL |
|            |         | TWA                                 | 1,000 ppm<br>2,400 mg/m3                                | OSHA Z-1  |
|            |         | TWA                                 | 750 ppm<br>1,800 mg/m3                                  | OSHA P0   |
|            |         | STEL                                | 1,000 ppm<br>2,400 mg/m3                                | OSHA P0   |
| propane    | 74-98-6 | TWA                                 | 1,000 ppm   | ACGIH     |
|            |         | TWA                                 | 1,000 ppm<br>1,800 mg/m3                                | NIOSH REL |
|            |         | TWA                                 | 1,000 ppm<br>1,800 mg/m3                                | OSHA Z-1  |
|            |         | TWA                                 | 1,000 ppm<br>1,800 mg/m3                                | OSHA P0   |

## **Biological occupational exposure limits**

| Component   | CAS-No. | Control    | Biological | Sampling   | Permissible   | Basis     |
|-------------|---------|------------|------------|--|---------------|-----------|
|             |         | parameters | specimen   | time   | concentration |           |
| 2-PROPANONE | 67-64-1 | Acetone    | Urine      | End of<br>shift (As<br>soon as<br>possible<br>after<br>exposure<br>ceases) | 50 mg/l       | ACGIH BEI |

## Personal protective equipment

| Respiratory protection     | : | Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. |
|----------------------------|---|---|
| Hand protection<br>Remarks | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves.   |
| Eye protection             | : | Safety glasses<br>Ensure that eyewash stations and safety showers are close to<br>the workstation location.   |



| Version 1.0              | Revision Date 02/23/2015   |                    |
|--------------------------|--|--------------------|
| Skin and body protection | : impervious clothing<br>Choose body protection according<br>concentration of the dangerous sub    |                    |
| Hygiene measures         | : When using do not eat or drink.<br>When using do not smoke.<br>Wash hands before breaks and at t | he end of workday. |

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance                   | : | Aerosol containing a liquefied gas |
|------------------------------|---|------------------------------------|
| Colour                       | : | colourless                         |
| Odour                        | : | characteristic                     |
| Odour Threshold              | : | no data available                  |
| рН                           | : | not applicable                     |
| Melting point/freezing point | : | no data available                  |
| Boiling point                | : | no data available                  |
| Flash point                  | : |                                    |
|                              |   | not applicable                     |
| Evaporation rate             | : | no data available                  |
| Flammability (solid, gas)    | : | Extremely flammable aerosol.       |
| Linner evolucion limit       |   | no data available                  |
| Upper explosion limit        | : |                                    |
| Lower explosion limit        | : | no data available                  |
| Vapour pressure              | : | no data available                  |
| Relative vapour density      | : | no data available                  |
| Density                      | : | no data available                  |
| Solubility(ies)              |   |                                    |
| Water solubility             | : | partly soluble                     |
| Solubility in other solvents | : | not determined                     |
| Partition coefficient: n-    | : | no data available                  |
| octanol/water                |   |                                    |
| Auto-ignition temperature    | : | not determined                     |
| Thermal decomposition        | : | no data available                  |
| Viscosity                    |   |                                    |
| Viscosity, kinematic         | : | no data available                  |
| Heat of combustion           | : | 36.78 kJ/g                         |
|                              |   | -                                  |



Version 1.0

Revision Date 02/23/2015

Print Date 04/19/2016

## SECTION 10. STABILITY AND REACTIVITY

| Reactivity                         | : Stable  |
|------------------------------------|---|
| Chemical stability                 | : Stable under normal conditions.   |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : Heat, flames and sparks.<br>Extremes of temperature and direct sunlight.                            |
| Incompatible materials             | : Acids<br>Bases<br>Oxidizing agents  |
| Hazardous decomposition products   | : Carbon oxides   |

# SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

no data available

#### Skin corrosion/irritation

#### Product:

Remarks: May cause skin irritation in susceptible persons.

#### Serious eye damage/eye irritation

#### Product:

Remarks: Eye irritation

## Respiratory or skin sensitisation

#### Product:

Remarks: Causes sensitisation.

#### Germ cell mutagenicity

no data available

#### Carcinogenicity

no data available

#### Reproductive toxicity

no data available

acetone: propane: alpha-hexylcinnamaldehyde: 7-hydroxycitronellal:



Version 1.0

Revision Date 02/23/2015

Print Date 04/19/2016

### STOT - single exposure

no data available

#### STOT - repeated exposure

no data available

#### Aspiration toxicity

no data available

#### Further information

## Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

#### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

no data available

#### Persistence and degradability

no data available Bioaccumulative potential

## Product:

| Partition coefficient: n-<br>octanol/water | : | Remarks: no data available |
|--|---|----------------------------|
| Components:<br>alpha-hexylcinnamaldehyde   |   |                            |
| Partition coefficient: n-                  |   | log Pow: 4.686             |
| octanol/water                              |   |                            |

#### Mobility in soil

no data available

#### Other adverse effects

no data available

Regulation

## Remarks

Stratospheric Ozone - CAA Section 602 Class I Substances This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

40 CFR Protection of Environment; Part 82 Protection of

| Additional ecological | : no data available |
|-----------------------|---------------------|
| information           |                     |



Version 1.0

Revision Date 02/23/2015

Print Date 04/19/2016

#### SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods       |  |
|------------------------|--|
| Waste from residues    | <ul> <li>Dispose of in accordance with local regulations.</li> <li>Do not contaminate ponds, waterways or ditches with<br/>chemical or used container.</li> <li>The product should not be allowed to enter drains, water<br/>courses or the soil.</li> </ul> |
| Contaminated packaging | <ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>   |

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

## SECTION 15. REGULATORY INFORMATION

## EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

| Components | CAS-No. | Component RQ<br>(lbs) | Calculated product RQ<br>(lbs) |
|------------|---------|-----------------------|--------------------------------|
| acetone    | 67-64-1 | 5000                  | *                              |

\*: Calculated RQ exceeds reasonably attainable upper limit.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.




| rsion 1.0                       | Revision Date 02/23/2015   | Print Date 04/19/2016 |  |
|---------------------------------|--|-----------------------|--|
| SARA 311/312 Hazards            | : Fire Hazard<br>Sudden Release of Pressure Hazard<br>Acute Health Hazard  |                       |  |
| SARA 302                        | : SARA 302: No chemicals in this mate reporting requirements of SARA Title   |                       |  |
| SARA 313                        | : SARA 313: This material does not co<br>components with known CAS number<br>threshold (De Minimis) reporting level<br>Title III, Section 313.               | rs that exceed the    |  |
| California Prop 65              | This product does not contain any ch<br>California to cause cancer, birth defeored<br>reproductive harm.   |                       |  |
| The components of this p        | product are reported in the following inv  | entories:             |  |
| DSL Th                          | On TSCA Inventory<br>This product contains one or several components that are not on the<br>Canadian DSL nor NDSL.   |                       |  |
| AICS No<br>NZIOC No<br>PICCS No | Not in compliance with the inventory<br>Not in compliance with the inventory<br>Not in compliance with the inventory<br>Not in compliance with the inventory |                       |  |

#### Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

## SECTION 16. OTHER INFORMATION



OSHA GHS Label Information:



| Version 1.0              | Revision Date 02/23/2015   | Print Date 04/19/2016   |
|--------------------------|--|---|
| Hazard pictograms        |  |   |
| Signal w ord             | : Danger:  |   |
| Hazard statements        | <ul> <li>Extremely flammable aerosol. Contains gas under press<br/>May cause an allergic skin reaction. Causes serious eye<br/>drow siness or dizziness.</li> </ul>  |   |
| Precautionary statements | :  |   |
|                          | <ul> <li>Prevention: Keep aw ay from heat, hot surfaces, sparks sources. No smoking. Do not spray on an open flame or Pressurized container: Do not pierce or burn, even after fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly a outdoors or in a w ell-ventilated area. Contaminated w or out of the w orkplace. Wear eye protection/ face protecti Response: IF ON SKIN: Wash with plenty of soap and wictim to fresh air and keep at rest in a position comforta POISON CENTER or doctor/physician if you feel unwe with w ater for several minutes. Remove contact lenses, Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. Wash care exceeding 50 °C/ 122 °F. Store in a w ell-ventilated place Disposal: Dispose of contents/container in accordance</li> </ul> | other ignition source.<br>use. Avoid breathing dust/<br>Ifter handling. Use only<br>k clothing should not be allow ed<br>on. Wear protective gloves.<br>w ater. IF INHALED: Remove<br>ble for breathing. Call a<br>II. IF IN EYES: Rinse cautiously<br>if present and easy to do.<br>dical advice/ attention. If eye<br>ontaminated clothing before<br>expose to temperatures<br>6. |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.