1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: WB 7240 rot red
- Registration number The ingredients of this ink have been pre-registered according to 1907/2006/EC (REACH)
- · Relevant identified uses of the substance or mixture and uses advised against
- Currently no such applications are identified
- · Application of the substance / the preparation dry erase whiteboard ink
- Details of the supplier of the safety data sheet Manufacturer/Supplier: School Specialty W6316 Design Drive Greenville, WI 54942 Ph#1-888-388-3224 Fax#1-888-388-6344
- Email: orders@schoolspecialty.com
- Website: www.schoolspecialty.com

2 Hazards identification

· Classification of the substance or mixture

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

F; Highly flammable

Highly flammable.

R67: Vapours may cause drowsiness and dizziness.
Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. Has a narcotizing effect.
Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
Label elements
Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:



R11:

F Highly flammable

· Risk phrases:

- 11 Highly flammable.
- 67 Vapours may cause drowsiness and dizziness.

· Safety phrases:

- 7/9 Keep container tightly closed and in a well-ventilated place.
- 16 Keep away from sources of ignition No smoking.
- 24 Avoid contact with skin.
- 60~ This material and its container must be disposed of as hazardous waste.
- Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

- Mixture of the following substances, containing non-hazardous substances and colouring agents.
 - Description: Mixture of substances listed below with nonhazardous additions.



Safety data sheet

according to 1907/2006/EC, Article 31

Trade name: WB 7240 rot - red

Dangerous componen	ts:	
CAS: 64-17-5	ethanol	50-100%
EINECS: 200-578-6	F R11	
	💑 Flam. Liq. 2, H225	
CAS: 107-98-2	1-Methoxy-2-propanol	10-25%
EINECS: 203-539-1	R10-67	
	🚸 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336	

4 First aid measures

· Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents:
- Water
- Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Wear protective clothing.

• Environmental precautions: Prevent seepage into sewage system, workpits and cellars.

Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents • Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling:

- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- \cdot Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.
- . . .

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 3)

Safety data sheet

DOKUMENTAL

GmbH & Co KG Schreibfarben

according to 1907/2006/EC, Article 31

Trade name: WB 7240 rot - red

• Decomposition temperature:

· Self-igniting:

• Danger of explosion:

• Vapour pressure at 20°C:

• Explosion limits:

Lower:

Upper:

• Density at 20°C:

	(Contd. of page 2)
· Control parameters	
· Ingredients with limit values that require mo	nitoring at the workplace:
107-98-2 1-Methoxy-2-propanol (10-25%)	
IOELV Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Skin	
· Additional information: The lists valid durin	g the making were used as basis.
 Exposure controls Personal protective equipment: General protective and hygienic measures: Was Respiratory protection: Not required. Protection of hands: 	h hands before breaks and at the end of work.
Protective gloves	
The glove material has to be impermeable and preparation.	resistant to the product/ the substance/ the
	glove material can be given for the product/ the
Selection of the glove material on considerat the degradation • Material of gloves	ion of the penetration times, rates of diffusion and
of quality and varies from manufacturer to ma	only depend on the material, but also on further marks nufacturer. As the product is a preparation of several ial can not be calculated in advance and has therefore
• Penetration time of glove material The exact break trough time has to be found o to be observed.	ut by the manufacturer of the protective gloves and has
· Eye protection:	
Tightly sealed goggles	
9 Physical and chemical properties	
The completion on bonds about all and about all and	
 Information on basic physical and chemical pr General Information 	operties
· Appearance:	
Form:	Fluid
Colour:	Red
· Odour:	Alcohol-like
· Odour threshold:	Not determined.
· Important information on protection of health	and
environment, and on safety.	-
· · ·	-
· pH-value:	Not determined.
-	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 78°C
· Flash point:	13°C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	287°C

Not determined.

1,7 Vol %

59 hPa

15,0 Vol %

0,86 g/cm³

Product is not selfigniting.

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

DOKUMENTAL GmbH & Co KG Schreibfarben

Safety data sheet

according to 1907/2006/EC, Article 31

Trade name: WB 7240 rot - red

	(Contd. of page
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Partly miscible.
Segregation coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic at 20°C:	8 mPas
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	82,4 %
Solids content:	2,6 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity

· Chemical stability

- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

12 Ecological information

- Toxicity
- · Acquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

Recommendation

· Recommendation: Disposal must be made according to official regulations.

(Contd. on page 5)

EII

Safety data sheet

according to 1907/2006/EC, Article 31

Page 5/5 Printing date 05.04.2011 Revision: 05.04.2011 Version number 3

EU

Trade name: WB 7240 rot - red

14 Transport information

American transport for Annual (tross-forter) ADR/RID class: 3 (F1) Flammable liquids. Danger code (Kemler): 33 UN >Number: 1263 Packaging group: II Hazard label 3 UN proper shipping name: 1263 PAINT Linited quantities (LQ) 5L Tunnel restriction code D/B Maritime transport INDG: Maritime transport INDG: Maritime transport INDG: INNumber: 1263 Label 3 Packaging group: II EMS Number: P-B,S-E Marine pollutant: No Proper shipping name: FAINT Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 3 PACKaging group: II Air transport ICAO-TI and IATA-DGR: INNumber: 1263 Label 3 Packaging group: II Proper shipping name: PAINT	· Land transport ADR/RID	(gross-border)
 Danger code (Kemler): 33 UN-Number: 1263 Packaging group: II Hazard label 3 UN proper shipping name: 1263 PAINT Limited quantities (LQ) 5L Tunnel restriction code D/E Maritime transport IMDG: IMDG Class: 3 UN Number: 1263 Label 3 Packaging group: II EMS Number: P-E,S-E Marine pollutant: No Froper shipping name: PAINT Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 3 UN/ID Number: 1263 Jabel 3 Packaging group: II Air transport ICAO-TI and IATA-DGR: 	- Land Clansport ADR/RID	(CLOSS-DOLGEL)
 Danger code (Kemler): 33 UN-Number: 1263 Packaging group: II Hazard label 3 UN proper shipping name: 1263 PAINT Limited quantities (LQ) 5L Tunnel restriction code D/E Maritime transport INDG: IMDG Class: 3 UN Number: 1263 Label 3 Packaging group: II EMS Number: P-E, S-E Marine pollutant: No Proper shipping name: PAINT Air transport ICAO-TI and IATA-DGR: ICAO/TATA Class: 3 UN/ID Number: 1263 Label 3 Packaging group: II Air transport ICAO-TI and IATA-DGR: ICAO/TATA Class: 3 UN/ID Number: 1263 Label 3 Packaging group: II Icabel 3 Packaging group: II Icabel 3 Packaging you II Icabel 3 Icabel 3 Packaging you II Icabel 3 Icabel 3 Packaging you II Icabel 3 Packaging you II Icabel 3 Ica		
 Danger code (Kemler): 33 UN-Number: 1263 Packaging group: II Hazard label 3 UN proper shipping name: 1263 PAINT Limited quantities (LQ) 5L Tunnel restriction code D/E Maritime transport INDG: • INDG Class: 3 • UND Number: 1263 • Label 3 • Packaging group: II • Extension of the proper shipping name: PAINT • Air transport ICAO-TI and IATA-DGR: • ICAO/IATA Class: 3 • UN/ID Number: 1263 • ICAO/IATA Class: 3 • UN/ID Number: 1263 • Air transport ICAO-TI and IATA-DGR: 		
 Danger code (Kemler): 33 UN-Number: 1263 Packaging group: II Hazard label 3 UN proper shipping name: 1263 PAINT Limited quantities (LQ) 5L Tunnel restriction code D/E Maritime transport INDG: IMDG Class: 3 UN Number: 1263 Label 3 Packaging group: II EMS Number: P-E,S-E Marine pollutant: No Proper shipping name: PAINT Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 3 UN/ID Number: 1263 Label 3 Packaging group: II ICAO/IATA Class: 3 UN/ID Number: 1263 Jabel 3 Packaging group: II Iabel 3 Packaging group: II 		
 Danger code (Kemler): 33 UN-Number: 1263 Packaging group: II Hazard label 3 UN proper shipping name: 1263 PAINT Limited quantities (LQ) 5L Tunnel restriction code D/E Maritime transport INDG: IMDG Class: 3 UN Number: 1263 Label 3 Packaging group: II EMS Number: P-E, S-E Marine pollutant: No Proper shipping name: PAINT Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 3 UN/ID Number: 1263 Label 3 Packaging group: II Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 3 Packaging group: II Jabel 3 Packaging group: II Iabel 3 Packaging group: II 		
· UN-Number: 1263 · Packaging group: II · Hazard label 3 · UN proper shipping name: 1263 PAINT · Limited quantities (LQ) 5L · Tunnel restriction code D/E · Maritime transport IMDG: · WN Number: 1263 · IMNG Class: 3 · UN Number: 1263 · Label 3 · Packaging group: II · BMS Number: F-E, S-E · Marine pollutant: No · Proper shipping name: PAINT · Air transport ICAO-TI and IATA-DGR: · ICAO/IATA Class: 3 · UN/ID Number: 1263 · Label 3 · DV/ID Number: 1263 · Label 3 · ICAO/IATA Class: 3 · UN/ID Number: 1263 · Label 3 · Jabel 3 ·		3 (F1) Flammable liquids.
<pre> Packaging group: II Haard label 3 UN proper shipping name: 1263 PAINT Limited quantities (LQ) 5L Tunnel restriction code D/E Maritime transport IMDG: IAbel 3 Packaging group: II EMS Number: PFE,S-E Marine pollutant: No Proper shipping name: PAINT Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 3 UN/ID Number: 1263 Label 3 UN YID Number: 1263 Label 3 Label 3 UN YID Number: 1263 Label 3 Label 4 Label 4</pre>		
 Hazard label 3 UN proper shipping name: 1263 PAINT Limited quantities (LQ) 5L Tunnel restriction code D/E Maritime transport IMDG: IMDG Class: 3 UN Number: 1263 Packaging group: II EMS Number: F-E,S-E Marit ransport ICAO-TI and IATA-DGR: Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 3 UN/ID Number: 1263 Jabel 3 Packaging group: 1 IATA-DGR: 		
 UN proper shipping name: 1263 PAINT Limited quantities (LQ) 5L Tunnel restriction code D/E Maritime transport IMDG: IMDG Class: 3 IMDG Class: 1263 Label 3 Packaging group: II EMS Number: F-E,S-E Marine pollutant: No Proper shipping name: PAINT Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 3 UN/ID Number: 1263 Jabel 3 Packaging group: I ICAO/IATA Class: 3 UN/ID Number: 1263 Jabel 3 Packaging group: II Iabel 3 Packaging group: II ICAO/IATA Class: 3 UN/ID Number: 1263 Jabel 3 Packaging group: II 		
 Limited quantities (LQ) 5L Tunnel restriction code D/E Maritime transport IMDG: Maritime transport IMDG: IMDG Class: 3 UN Number: 1263 Label 3 Packaging group: II EMS Number: F-E,S-E Marine pollutant: No Proper shipping name: PAINT Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 3 UN/ID Number: 1263 Label 3 Packaging group: II 		
 Tunnel restriction code D/E Maritime transport IMDG: Maritime transport IMDG: IMDG Class: 3 IL I263 Label 3 Packaging group: II EMS Number: F-E, S-E Marine pollutant: No Proper shipping name: PAINT Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 3 ICAO/IATA Class: 3 ICAO/IATA Class: 3 ICAO/IATA Class: 3 Packaging group: II 		
 Maritime transport IMDG: Maritime transport IMDG: IMDG Class: 3 IMDG Class: 1263 Label 3 Packaging group: II EMS Number: F-E,S-E Marine pollutant: No Proper shipping name: PAINT Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 3 UN/ID Number: 1263 Label 3 Packaging group: II 		
 IMDG Class: 3 IMDG Class: 3 UN Number: 1263 Label 3 Packaging group: II EMS Number: F-E, S-E Marine pollutant: No Proper shipping name: PAINT Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 3 UN/ID Number: 1263 Label 3 Packaging group: II 		
 UN Number: 1263 Label 3 Packaging group: II EMS Number: F-E, S-E Marine pollutant: No Proper shipping name: PAINT Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 3 UN/JD Number: 1263 Label 3 Packaging group: II 	• Maritime transport IMDG:	
• UN Number: 1263 • Label 3 • Packaging group: II • EMS Number: F-E,S-E • Marine pollutant: No • Proper shipping name: PAINT • Air transport ICAO-TI and IATA-DGR: • ICAO/IATA Class: 3 • UN/ID Number: 1263 • Label 3 • Packaging group: II		
• UN Number: 1263 • Label 3 • Packaging group: II • EMS Number: F-E,S-E • Marine pollutant: No • Proper shipping name: PAINT • Air transport ICAO-TI and IATA-DGR: • ICAO/IATA Class: 3 • UN/ID Number: 1263 • Label 3 • Packaging group: II		
• UN Number: 1263 • Label 3 • Packaging group: II • EMS Number: F-E,S-E • Marine pollutant: No • Proper shipping name: PAINT • Air transport ICAO-TI and IATA-DGR: • ICAO/IATA Class: 3 • UN/ID Number: 1263 • Label 3 • Packaging group: II		
• UN Number: 1263 • Label 3 • Packaging group: II • EMS Number: F-E,S-E • Marine pollutant: No • Proper shipping name: PAINT • Air transport ICAO-TI and IATA-DGR: • ICAO/IATA Class: 3 • UN/ID Number: 1263 • Label 3 • Packaging group: II	3	
 Label 3 Packaging group: II EMS Number: F-E, S-E Marine pollutant: No Proper shipping name: PAINT Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 3 UN/ID Number: 1263 Label 3 Packaging group: II 	· IMDG Class:	3
 Packaging group: II EMS Number: F-E, S-E Marine pollutant: No Proper shipping name: PAINT Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 3 UN/ID Number: 1263 Label 3 Packaging group: II 	· UN Number:	1263
 EMS Number: F-E, S-E Marine pollutant: No Proper shipping name: PAINT Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 3 UN/ID Number: 1263 Label 3 Packaging group: II 		3
 Marine pollutant: No Proper shipping name: PAINT Air transport ICAO-TI and IATA-DGR: VIN/ID Number: 3 Label 3 Packaging group: II 		
 Proper shipping name: PAINT Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 3 UN/ID Number: 1263 Label 3 Packaging group: II 		
 Air transport ICAO-TI and IATA-DGR: ICAO/IATA Class: 3 UN/ID Number: 1263 Label 3 Packaging group: II 		
 ICAO/IATA Class: 3 UN/ID Number: 1263 Label 3 Packaging group: II 	· Proper shipping name:	PAINT
· UN/ID Number: 1263 · Label 3 · Packaging group: II	\cdot Air transport ICAO-TI and	ld IATA-DGR:
· UN/ID Number: 1263 · Label 3 · Packaging group: II	A	
· UN/ID Number: 1263 · Label 3 · Packaging group: II		
· UN/ID Number: 1263 · Label 3 · Packaging group: II		
· UN/ID Number: 1263 · Label 3 · Packaging group: II	3	
· UN/ID Number: 1263 · Label 3 · Packaging group: II	. TCAO/TATA Class.	2
· Label 3 · Packaging group: II		
· Packaging group: II		
• Special precautions for user Warning: Flammable liquids.		

GmbH & Co KG Schreibfarben

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:

· Technical instructions (air):

Class	Share in %
NK	50-100

- Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases
H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H336 May cause drowsiness or dizziness.
R10 Flammable.
R11 Highly flammable.
R67 Vapours may cause drowsiness and dizziness.
* Data compared to the previous version altered.