

# AFETY DATA SHEET

1 3 1 6 1 3 4 ,

# 1. Identification

**Product identifier** HP Color LaserJet CC530A-AC-AD-L Black Print Cartridge

Other means of identification Not available.

Recommended use This product is a black toner preparation that is used in HP Color LaserJet CP2025 and CM2320

series printers.

**Recommended restrictions Company identification** 

None known. HP

1501 Page Mill Road Palo Alto, CA 94304-1112

United States

Telephone 650-857-5020

HP health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 **HP Customer Care Line** 

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

# 2. Hazard(s) identification

**Physical hazards** Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 

None. **Hazard symbol** Signal word None.

Not available. **Hazard statement** 

**Precautionary statement** 

Not available. **Prevention** Response Not available. Not available. **Storage Disposal** Not available.

Hazard(s) not otherwise

classified (HNOC)

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present

this carcinogenic risk. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Supplemental information This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012).

# 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name              | Common name and synonyms | CAS number   | %   |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer |                          | Trade Secret | <85 |
| Wax                        | Wax                      | Trade Secret | <10 |
| Carbon black               |                          | 1333-86-4    | <6  |
| Amorphous silica           | Amorphous silica         | 7631-86-9    | <2  |

Material name: CC530A-AC-AD-L 1/6

4. First-aid measures

**Inhalation** Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

> physician. Not available.

Most important

symptoms/effects, acute and

delayed

# 5. Fire-fighting measures

Suitable extinguishing media

**Unsuitable extinguishing** 

media

None known.

CO2, water, or dry chemical

Specific hazards arising from

the chemical

Not applicable.

Special protective equipment

and precautions for

firefighters

Not available.

Fire-fighting

equipment/instructions

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Minimize dust generation and accumulation.

Methods and materials for containment and cleaning up Not available.

**Environmental precautions** 

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.

## 7. Handling and storage

**Precautions for safe handling** 

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.

Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.

## 8. Exposure controls/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components **Type** Value PEL Carbon black (CAS 3.5 mg/m3 1333-86-4)

**US. ACGIH Threshold Limit Values** 

Form Components **Type** Value Carbon black (CAS **TWA** 3 mg/m3 Inhalable fraction. 1333-86-4)

**US. NIOSH: Pocket Guide to Chemical Hazards** Components Value **Type** Amorphous silica (CAS **TWA** 6 mg/m3 7631-86-9) Carbon black (CAS **TWA** 0.1 mg/m3 1333-86-4)

Material name: CC530A-AC-AD-L SDS US

Biological limit values

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction)

ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

mg/m3

TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

**Appropriate engineering** 

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Not available.

Skin protection

Hand protection Not available.

Other Not available.

Respiratory protection Not available.

Thermal hazards Not available.

# 9. Physical and chemical properties

Appearance Fine powder
Physical state Solid.
Color Black.

Odor Slight plastic odor
Odor threshold Not available.

PH Not applicable
Melting point/freezing point Not available.

Initial boiling point and Not applicable

boiling range

Flash point

Evaporation rate

Not applicable

Not applicable

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower Not flammable

(%)

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Vapor pressure Not applicable

Solubility(ies)

**Solubility (water)** Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)

**Viscosity** Not applicable

Other information

**Percent volatile** 0 % estimated

**Softening point** 176 - 266 °F (80 - 130 °C)

Material name: CC530A-AC-AD-L

Specific gravity 1 - 1.2

## 10. Stability and reactivity

**Reactivity** Not available.

**Chemical stability** Stable under normal storage conditions.

Possibility of hazardous

reactions

Will not occur.

**Conditions to avoid** Imaging Drum: Exposure to light

Incompatible materials Strong oxidizers

Hazardous decomposition

products

Carbon monoxide and carbon dioxide.

# 11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

## Information on toxicological effects

Acute toxicityBased on available data, the classification criteria are not met.Skin corrosion/irritationBased on available data, the classification criteria are not met.Serious eye damage/eyeBased on available data, the classification criteria are not met.

irritation

Respiratory or skin sensitization

**Respiratory sensitization**Based on available data, the classification criteria are not met. **Skin sensitization**Based on available data, the classification criteria are not met.

**Germ cell mutagenicity**Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

**Reproductive toxicity**Based on available data, the classification criteria are not met. **Specific target organ toxicity**Based on available data, the classification criteria are not met.

- single exposure

Specific target organ toxicity

- repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard**Based on available data, the classification criteria are not met. **Further information**Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Components Species Test Results

Amorphous silica (CAS 7631-86-9)

Acute

Oral

LD50 Mouse > 15000 mg/kg
Rat > 22500 mg/kg

Carbon black (CAS 1333-86-4)

Acute Oral

LD50 Rat > 8000 mg/kg

Material name: CC530A-AC-AD-L SDS US

# 12. Ecological information

### **Ecotoxicity**

**Product Species Test Results** 

CC530A-AC-AD-L

**Aquatic** 

Fish **LL50** Fish > 1000 mg/l, 96 Hours

Persistence and degradability Not available. **Bioaccumulative potential** Not available. Mobility in soil Not available. Other adverse effects Not available.

## 13. Disposal considerations

**Disposal instructions** Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state,

and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkiet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

# 14. Transport information

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

## 15. Regulatory information

**US federal regulations** US EPA TSCA Inventory: All chemical substances in this product comply with all rules or orders

under TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

**SARA 302 Extremely hazardous substance** 

Not listed.

**SARA 311/312** No

**Hazardous chemical** 

Other federal regulations

Safe Drinking Water Act Not regulated.

(SDWA)

**US state regulations** 

**US. Massachusetts RTK - Substance List** 

Carbon black (CAS 1333-86-4)

**US. New Jersey Worker and Community Right-to-Know Act** 

Carbon black (CAS 1333-86-4)

**US. Pennsylvania Worker and Community Right-to-Know Law** 

Carbon black (CAS 1333-86-4)

**US. Rhode Island RTK** 

Not regulated.

Material name: CC530A-AC-AD-L

#### **US. California Proposition 65**

### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES Listed: February 21, 2003

OF RESPIRABLE SIZE [<= 10 MICROMETERS]) (CAS

1333-86-4)

**Regulatory information** All chemical substances in this HP product have been notified or are exempt from notification under

chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

China.

# 16. Other information, including date of preparation or last revision

**Issue date** 13-Mar-2015 **Revision date** 21-Sep-2015

Version # 04

**Disclaimer** This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

**Revision Information** Other information, including date of preparation or last revision: Disclaimer

**Manufacturer information** HP

11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

**CAS** Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

**COC** Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

**OSHA** Occupational Safety and Health Administration

**PEL** Permissible Exposure Limit

**RCRA** Resource Conservation and Recovery Act

**REC** Recommended

**REL** Recommended Exposure Limit

**SARA** Superfund Amendments and Reauthorization Act of 1986

**STEL** Short-Term Exposure Limit

**TCLP** Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value
TSCA Toxic Substances Control Act

**VOC** Volatile Organic Compounds

Material name: CC530A-AC-AD-L SDS US