

# Safety Data Sheet (SDS) Report

Applicant: Yixing Huhua Stationery Co.,ltd

Zhoutie Town, Yixing City, Jiangsu Province, China.

Project Number: SHAH0052168703

Issue Date: 2015-01-07

## Sample Description:

The sample information was submitted and identified on client's behalf to be:

Product Name : STAMP PAD INK

Physical State : Liquid

Data Received : January 04, 2015

Data Reviewed : January 07, 2015

### Service Requested:

Based on the information provided by the applicant, the Safety Data Sheet (SDS) was generated in accordance with requirements of Regulation (EC) No. 1907/2006, Regulation (EC) No 1272/2008, EU Commission Directive 67/548/EEC, 1999/45/EC, for details please refer to attached pages.

## Authorized By:

On Behalf Of Regulatory Affairs in Intertek Testing Services Ltd., Shanghai

Anna Wang Regulatory Consultant This report shall not be reproduced except in full, without the written approval of the laboratory.

Intertek Testing Services Ltd., Shanghai
Room 106, Comalong Building, No. 889 Yishan Road, Shanghai, 200233 China
Tel: +86 21 60737737 ZIP: 200233
E-mail:crs@intertek.com



# STAMP PAD INK

Yixing Huhua Stationery Co.,ltd.

Version No: 1.0

Safety Data Sheet (Conforms to Regulations (EC) No 453/2010)

Project number:SHAH0052168703

Issue Date: 07/01/2015

# SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

| 1.1.Product Identifier        |  |
|-------------------------------|--|
| Product name                  | STAMP PAD INK  |
| Chemical Name                 | Not Applicable   |
| Synonyms                      | Not Available  |
| Proper shipping name          | Not Applicable   |
| Chemical formula              | Not Applicable   |
| Other means of identification | Not Available  |
| CAS number                    | Not Applicable   |
| EC number                     | Not Applicable   |
| Index number                  | Not Applicable   |
| REACH registration            | Not Applicable   |
| number                        | The state of the s |
| 1.2.Relevant identified uses  | of the substance or mixture and uses advised against   |
| Relevant identified uses      | Refill Ink For Stamp Pad.  |
| Uses advised against          | Not Applicable   |

# 1.3.Details of the manufacturer/importer

| Registered company name | Yixing Huhua Stationery Co.,ltd.                 |
|-------------------------|--|
| Address                 | Zhoutie Town,Yixing City,Jiangsu Province,China. |
| Telephone               |  |
| Emergency telephone     |  |
| Email                   |  |
| Importer name           |  |
| Address                 |  |
| Telephone               |  |
| Email                   |  |

## 1.4.Emergency telephone number

| Association / Organisation |  |
|----------------------------|--|
| Emergency telephone        |  |
| numbers                    |  |
| Other emergency telephone  |  |
| numbers                    |  |

## **SECTION 2 HAZARDS IDENTIFICATION**

## 2.1.Classification of the substance or mixture

Not considered a dangerous mixture according to directive 1999/45/EC, Reg. (EC) No 1272/2008 (if applicable) and their amendments. Not classified as Dangerous Goods for transport purposes.

| DSD classification | In case of mixtures, classification has been prepared by following DPD (Directive 1999/45/EC) and CLP Regulation (EC) No 1272/2008 regulations |
|--------------------|--|
| DPD classification | Not Applicable   |

## 2.2. Label elements

| Z.Z. Laber elements |                |
|---------------------|----------------|
| CLP label elements  | Not Applicable |
|                     |                |
| SIGNAL WORD         | NOT APPLICABLE |

### Hazard statement(s)

Version No: 1.0 Page 2 of 9 Issue Date: 07/01/2015

# Precautionary statement(s) Prevention

Not Applicable

### Precautionary statement(s) Response

Not Applicable

## Precautionary statement(s) Storage

Not Applicable

## Precautionary statement(s) Disposal

Not Applicable

### DSD / DPD label elements

Not Applicable

Relevant risk statements are found in section 2.1

Indication(s) of danger

Not Applicable

### SAFETY ADVICE

Not Applicable

## 2.3. Other hazards

Not Applicable

## **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

### 3.1.Substances

See 'Composition on ingredients' in Section 3.2

### 3.2.Mixtures

| %[weight] | Name                    | Classification according to directive 67/548/EEC [DSD] | Classification according to regulation (EC) No 1272/2008 [CLP] |
|-----------|-------------------------|--|--|
| 45        | water                   | Not Applicable   | Not Applicable   |
| 44        | Glycerin                | Not Applicable   | Not Applicable   |
| 6         | C.I. Pigment<br>Green 7 | Not Applicable   | Not Applicable   |
| 5         | diethylene glycol       | R22 <sup>[2]</sup>                                     | Acute Tox. 4 *; H302 <sup>[3]</sup>                            |
|           | 45                      | 45 water  44 Glycerin  6 C.I. Pigment Green 7          | Not Applicable   |

### Legend:

1. Classified by Chemwatch; 2. Classification drawn from EC Directive 67/548/EEC - Annex I; 3. Classification drawn from EC Directive 1272/2008 - Annex VI 4. Classification drawn from C&L

## **SECTION 4 FIRST AID MEASURES**

## 4.1. Description of first aid measures

|              | Immediately give a glass of water.  |
|--------------|---|
|              | First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |
|              | If fumes, aerosols or combustion products are inhaled remove from contaminated area.                |
|              | ▶ Other measures are usually unnecessary.   |
|              | If skin or hair contact occurs:   |
| General      | Wash out immediately with water.  |
|              | If irritation continues, seek medical attention.  |
|              | ▶ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.     |
|              | If skin or hair contact occurs:   |
|              | Flush skin and hair with running water (and soap if available).                                     |
|              | Seek medical attention in event of irritation.  |
|              | If this product comes in contact with eyes:   |
|              | Wash out immediately with water.  |
| Eye Contact  | If irritation continues, seek medical attention.  |
|              | 1 )   |
|              | Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.       |
|              | If skin or hair contact occurs:   |
| Skin Contact | Flush skin and hair with running water (and soap if available).                                     |
|              | Seek medical attention in event of irritation.  |
| lub alada a  | , If fumes, aerosols or combustion products are inhaled remove from                                 |
| Inhalation   | contaminated area. Other measures are usually unnecessary.  |
|              |   |
| Ingestion    | Immediately give a glass of water.  |
|              | First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |
|              | I .   |

Version No: 1.0 Page 3 of 9 Issue Date: 07/01/2015

### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5 FIREFIGHTING MEASURES**

### 5.1. Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area

### 5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility None known.

### 5.3. Advice for firefighters

## Fire Fighting

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves in the event of a fire.
- Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area.
- Fire/Explosion Hazard
- Non combustible
- Not considered a significant fire risk, however containers may burn.

### **SECTION 6 ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

See section 8

### 6.2. Environmental precautions

See section 12

### 6.3. Methods and material for containment and cleaning up

Minor Spills

- Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- Control personal contact with the substance, by using protective equipment.
- Contain and absorb spill with sand, earth, inert material or vermiculite

Major Spills

Minor hazard. · Clear area of personnel.

- Alert Fire Brigade and tell them location and nature of hazard.
- Control personal contact with the substance, by using protective equipment as required

### 6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

### **SECTION 7 HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

| Safe handling |
|---------------|
|               |

- Limit all unnecessary personal contact.
- Wear protective clothing when risk of exposure occurs
- Use in a well-ventilated area
- Avoid contact with incompatible materials.

## Fire and explosion protection

See section 5

Other information

None known

### 7.2. Conditions for safe storage, including any incompatibilities

# Suitable container

- Polyethylene or polypropylene container.
- Packing as recommended by manufacturer
- Check all containers are clearly labelled and free from leaks.

Storage incompatibility

Avoid contamination of water, foodstuffs, feed or seed.

### PACKAGE MATERIAL INCOMPATIBILITIES

Not Available

### 7.3. Specific end use(s)

See section 1.2

## **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

## 8.1. Control parameters

## DERIVED NO EFFECT LEVEL (DNEL)

Not Available

## PREDICTED NO EFFECT LEVEL (PNEC)

Not Available

Version No: 1.0 Page **4** of **9** Issue Date: **07/01/2015** 

### OCCUPATIONAL EXPOSURE LIMITS (OEL)

### INGREDIENT DATA

| Source                              | Ingredient        | Material name     | TWA                | STEL          | Peak          | Notes         |
|-------------------------------------|-------------------|-------------------|--------------------|---------------|---------------|---------------|
| UK Workplace Exposure Limits (WELs) | Glycerin          | Glycerol, mist    | 10 mg/m3           | Not Available | Not Available | Not Available |
| UK Workplace Exposure Limits (WELs) | diethylene glycol | 2,2'-Oxydiethanol | 101 mg/m3 / 23 ppm | Not Available | Not Available | Not Available |

### **EMERGENCY LIMITS**

| Ingredient           | Material name                          | TEEL-1     | TEEL-2    | TEEL-3     |
|----------------------|--|------------|-----------|------------|
| Glycerin             | Glycerine (mist); (Glycerol; Glycerin) | 30 mg/m3   | 310 mg/m3 | 2500 mg/m3 |
| C.I. Pigment Green 7 | Particulate material (PNOS)            | 30 mg/m3   | 330 mg/m3 | 2000 mg/m3 |
| diethylene glycol    | Diethylene glycol                      | 6.9155 ppm | 80 ppm    | 250 ppm    |

| Ingredient           | Original IDLH | Revised IDLH  |
|----------------------|---------------|---------------|
| water                | Not Available | Not Available |
| Glycerin             | Not Available | Not Available |
| C.I. Pigment Green 7 | Not Available | Not Available |
| diethylene glycol    | Not Available | Not Available |

#### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard 'physically' away from the worker and ventilation that strategically 'adds' and 'removes' air in the work environment.

### 8.2.2. Personal protection







Wear general protective gloves, eg. light weight rubber gloves.



# Eye and face protection

- F Safety glasses with side
- shields Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.

### Skin protection

See Hand protection below

## Hands/feet protection

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

## **Body protection**

See Other protection below

### . | ОТ

No special equipment needed when handling small quantities.

## Other protection

- OTHERWISE:
  Overalls.
  - Barrier cream.
- Eyewash unit.
- Thermal hazards

Not Available

### Recommended material(s)

GLOVE SELECTION INDEX

### Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone,approaches or exceeds the 'Exposure Standard' (or ES), respiratoryprotection is required. Degree of protection varies with both face-piece and Class offilter; the nature of protection varies with Type of filter.

| Required Minimum<br>Protection Factor | Half-Face<br>Respirator | Full-Face<br>Respirator | Powered Air<br>Respirator  |
|---------------------------------------|-------------------------|-------------------------|----------------------------|
| up to 5 x ES                          | A-AUS / Class 1<br>P2   | -                       | A-PAPR-AUS /<br>Class 1 P2 |
| up to 25 x ES                         | Air-line*               | A-2 P2                  | A-PAPR-2 P2                |
| up to 50 x ES                         | -                       | A-3 P2                  | -                          |
| 50+ x ES                              | -                       | Air-line**              | -                          |

### ^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 =Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E =Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg =Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling pointorganic compounds(below 65 degC)

Version No: 1.0 Page 5 of 9 Issue Date: 07/01/2015

### Forsberg Clothing Performance Index'.

The effect(s) of the following substance(s) are taken into account in the  $\it computer-generated$  selection: STAMP PAD INK

| Material       | CPI |
|----------------|-----|
| BUTYL          | Α   |
| NATURAL RUBBER | С   |
| NEOPRENE       | С   |
| NITRILE        | С   |
| PVA            | С   |
| VITON          | С   |

<sup>\*</sup> CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove,

a final selection must be based on detailed observation. \* Where the glove is to be used on a short term, casual or infrequent basis, factors such as 'feel' or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be  $unsuitable \ following \ long-term \ or \ frequent \ use. \ A \ qualified \ practitioner \ should \ be \ consulted.$ 

### 8.2.3. Environmental exposure controls

See section 12

### **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

| Appearance                                   | Green liquid  |                                  |               |
|--|---------------|----------------------------------|---------------|
|  |               |                                  |               |
| Physical state                               | Liquid        | Relative density (Water = 1)     | Not Available |
| Odour  | Not Available | Partition coefficient            | Not Available |
|  |               | n-octanol / water                |               |
| Odour threshold                              | Not Available | Auto-ignition temperature (°C)   | Not Available |
| pH (as supplied)                             | Not Available | Decomposition                    | Not Available |
| pri (as supplied)                            | Not Available | temperature                      | Not Available |
| Melting point / freezing point (°C)          | Not Available | Viscosity (cSt)                  | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol)         | Not Available |
| Flash point (°C)                             | Not Available | Taste                            | Not Available |
| Evaporation rate                             | Not Available | Explosive properties             | Not Available |
| Flammability                                 | Not flammable | Oxidising properties             | Not Available |
| Upper Explosive Limit (%)                    | Not Available | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%)                    | Not Available | Volatile Component (%vol)        | Not Available |
| Vapour pressure (kPa)                        | Not Available | Gas group                        | Not Available |
| Solubility in water (g/L)                    | Not Available | pH as a solution(1%)             | Not Available |
| Vapour density (Air = 1)                     | Not Available | VOC g/L                          | Not Available |

## 9.2. Other information

Not Available

# **SECTION 10 STABILITY AND REACTIVITY**

| 10.1.Reactivity                          | See section 7.2   |
|--|---|
| 10.2.Chemical stability                  | Product is considered stable and hazardous polymerisation will not occur. |
| 10.3. Possibility of hazardous reactions | See section 7.2   |
| 10.4. Conditions to avoid                | See section 7.2   |
| 10.5. Incompatible materials             | See section 7.2   |
| 10.6. Hazardous decomposition products   | See section 5.3   |

### **SECTION 11 TOXICOLOGICAL INFORMATION**

# 11.1. Information on toxicological effects

| Inhaled   | The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. |
|---|---|
| Ingestion The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. This is be corroborating animal or human evidence. |   |
| Skin Contact  | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models).  Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.            |

Version No: 1.0 Page 6 of 9 Issue Date: 07/01/2015

| Eye                               | Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn). |                             |                          |  |
|-----------------------------------|--|-----------------------------|--------------------------|--|
| Chronic                           | Long-term exposure to the product is not thou<br>nevertheless exposure by all routes sho   |                             | •                        | iffed by EC Directives using animal models); |
| STAMP PAD INK                     | TOXICITY  Not Available  | IRRITATION<br>Not Available |                          |  |
| water                             | TOXICITY  Not Available  | IRRITATION<br>Not Available |                          |  |
| Glycerin                          | TOXICITY  Not Available  | IRRITATION<br>Not Available |                          |  |
| C.I. Pigment Green 7              | TOXICITY  Not Available  | IRRITATION<br>Not Available |                          |  |
| diethylene glycol                 | TOXICITY  Dermal (rabbit) LD50: 11890 mg/kg  Oral (rat) LD50: 12565 mg/kg  Not Available   |                             |                          |  |
| DIETHYLENE GLYCOL                 | The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.                           |                             |                          |  |
| STAMP PAD INK, WATER              | No significant acute toxicological data identified in literature search.   |                             |                          |  |
| Acute Toxicity                    | 0  |                             | Carcinogenicity          | 0  |
| Skin Irritation/Corrosion         | 0  |                             | Reproductivity           | 0  |
| Serious Eye<br>Damage/Irritation  | 0  |                             | STOT - Single Exposure   | 0  |
| Respiratory or Skin sensitisation | 0  |                             | STOT - Repeated Exposure | 0  |
| Mutagenicity                      | 0  |                             | Aspiration Hazard        | 0  |

Legend: 

✓ – Data required to make classification available

X – Data available but does not fill the criteria for classification

O – Data Not Available to make classification

**CMR STATUS** 

Not Applicable

# **SECTION 12 ECOLOGICAL INFORMATION**

# 12.1. Toxicity

# 12.2. Persistence and degradability

| Ingredient        | Persistence: Water/Soil | Persistence: Air |
|-------------------|-------------------------|------------------|
| water             | LOW                     | LOW              |
| Glycerin          | LOW                     | LOW              |
| diethylene glycol | LOW                     | LOW              |

## 12.3. Bioaccumulative potential

| Ingredient           | Bioaccumulation      |
|----------------------|----------------------|
| water                | LOW (LogKOW = -1.38) |
| Glycerin             | LOW (LogKOW = -1.76) |
| C.I. Pigment Green 7 | LOW (BCF = 74)       |
| diethylene glycol    | LOW (BCF = 180)      |

## 12.4. Mobility in soil

| Ingredient        | Mobility         |
|-------------------|------------------|
| water             | LOW (KOC = 14.3) |
| Glycerin          | HIGH (KOC = 1)   |
| diethylene glycol | HIGH (KOC = 1)   |

## 12.5.Results of PBT and vPvB assessment

|                         | Р             | В             | Т             |
|-------------------------|---------------|---------------|---------------|
| Relevant available data | Not Available | Not Available | Not Available |

Page 7 of 9 Version No: 1.0 Issue Date: 07/01/2015

PBT and vPvB Criteria fulfilled Not Available Not Available Not Available

### 12.6. Other adverse effects

No data available

## **SECTION 13 DISPOSAL CONSIDERATIONS**

### 13.1. Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate:

Product / Packaging disposal

- ▶ Reduction ▶ Reuse
- Recycling

Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use.

Waste treatment options Sewage disposal options

Not Available Not Available

## **SECTION 14 TRANSPORT INFORMATION**

### Labels Required

| •                |                |
|------------------|----------------|
| Marine Pollutant | NO             |
| HAZCHEM          | Not Applicable |

### Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number                    | Not Applicable  |
|------------------------------------|---|
| 14.2. Packing group                | Not Applicable  |
| 14.3. UN proper shipping name      | Not Applicable  |
| 14.4. Environmental hazard         | No relevant data  |
| 14.5. Transport hazard class(es)   | Class Not Applicable Subrisk Not Applicable                       |
| 14.6. Special precautions for user | Special provisions Not Applicable Limited quantity Not Applicable |

## Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number                    | Not Applicable  |                |  |
|------------------------------------|---|----------------|--|
| 14.2. Packing group                | Not Applicable  |                |  |
| 14.3. UN proper shipping name      | Not Applicable  |                |  |
| 14.4. Environmental hazard         | No relevant data  |                |  |
| 14.5. Transport hazard class(es)   | ICAO/IATA Class Not Applicable ICAO / IATA Subrisk Not Applicable ERG Code Not Applicable |                |  |
|                                    | Special provisions  | Not Applicable |  |
|                                    | Cargo Only Packing Instructions   | Not Applicable |  |
| 14.6. Special precautions for user | Cargo Only Maximum Qty / Pack   | Not Applicable |  |
|                                    | Passenger and Cargo Packing Instructions  | Not Applicable |  |
|                                    | Passenger and Cargo Maximum Qty / Pack  | Not Applicable |  |
|                                    | Passenger and Cargo Limited Quantity Packing Instructions                                 | Not Applicable |  |
|                                    | Passenger and Cargo Limited Maximum Qty / Pack  | Not Applicable |  |

# Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| • •                              |   |
|----------------------------------|---|
| 14.1. UN number                  | Not Applicable  |
| 14.2. Packing group              | Not Applicable  |
| 14.3.UN proper shipping name     | Not Applicable  |
| 14.4. Environmental hazard       | Not Applicable  |
| 14.5. Transport hazard class(es) | IMDG Class Not Applicable IMDG Subrisk Not Applicable |
|                                  |   |

| 14.6. Special precautions for | EMS Numb     |
|-------------------------------|--------------|
| user                          | Special prov |
|                               | Limited Qua  |

| EMS Number         | Not Applicable |  |  |
|--------------------|----------------|--|--|
| Special provisions | Not Applicable |  |  |
| Limited Quantities | Not Applicable |  |  |

## Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

| 14.1. UN number                    | Not Applicable  |  |
|------------------------------------|---|--|
| 14.2. Packing group                | Not Applicable  |  |
| 14.3.UN proper shipping name       | Not Applicable  |  |
| 14.4. Environmental hazard         | No relevant data  |  |
| 14.5. Transport hazard class(es)   | Not Applicable Not Applicable   |  |
| 14.6. Special precautions for user | Classification code Not Applicable Limited quantity Not Applicable Equipment required Not Applicable Fire cones number Not Applicable |  |

Transport in bulk according to Annex II of MARPOL 73 / 78 and the IBC code

Not Applicable

### **SECTION 15 REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

| water(7732-18-5) is found<br>on the following<br>regulatory lists                 | 'European Customs Inventory of Chemical Substances ECICS (English)','European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)','EU REACH Regulation (EC) No 1907/2006 - Annex IV - Exemptions from the Obligation to Register in Accordance with Article 2(7)(a) (English)'   |
|---|--|
| Glycerin(56-81-5) is found<br>on the following<br>regulatory lists                | 'European Customs Inventory of Chemical Substances ECICS (English)', 'European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)', 'UK Workplace Exposure Limits (WELs)'  |
| C.I. Pigment Green 7(1328-<br>53-6) is found on the<br>following regulatory lists | 'European Customs Inventory of Chemical Substances ECICS (English)', 'International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs', 'European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)'  |
| diethylene glycol(111-46-<br>6) is found on the<br>following regulatory lists     | 'European Customs Inventory of Chemical Substances ECICS (English)', 'EU European Chemicals Agency (ECHA) Community Rolling Action Plan (CoRAP) List of Substances', 'European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)', 'European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI', 'UK Workplace Exposure Limits (WELs)', 'European Union (EU) Annex I to Directive 67/548/EEC on Classification and Labelling of Dangerous Substances - updated by ATP: 31' |

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable -: 67/548/EEC, 1999/45/EC, 98/24/EC, 92/85/EC, 94/33/EC, 91/689/EEC, 1999/13/EC, Regulation (EU) No 453/2010, Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and their amendments as well as the following British legislation:- The Control of Substances Hazardous to Health Regulations (COSHH) 2002- COSHH Essentials- The Management of Health and Safety at Work Regulations 1999

## 15.2. Chemical safety assessment

For further information please look at the Chemical Safety Assessment and Exposure Scenarios prepared by your Supply Chain if available.

### ECHA SUMMARY

Ingredient

CAS number

| Ingredient                    | CAS number  | lı            | Index No                      |                       |             | ECHA Dos         | sier                     |
|-------------------------------|---|---------------|-------------------------------|-----------------------|-------------|------------------|--------------------------|
| water                         | 7732-18-5   | N             | Not Available                 |                       |             | Not Available    |                          |
| Harmonisation (C&L Inventory) | Hazard Class and Category Code(s)                       |               |                               | Pictograms Sig        | nal Word Co | de(s)            | Hazard Statement Code(s  |
| 2                             | Acute Tox. 3, Skin Corr. 1A, Acute Tox. 2, Flam. Liq. 3 |               | GHS05, Dgr, GHS06, GHS02, Wng |                       | , Wng       | H314, H301, H226 |                          |
| Harmonisation Code 1 = Ti     | he most prevalent classification. Harmonisation         | Code 2 =      | The most seve                 | ere classification.   |             |                  |                          |
| Ingredient                    | CAS number  | Index No E    |                               | ECHA Doss             | sier        |                  |                          |
| Glycerin                      | 56-81-5   | Not Available |                               | 01-2119471987-18-XXXX |             |                  |                          |
| Harmonisation (C&L Inventory) | Hazard Class and Category Code(s)                       |               | Pictograi                     | ms Signal Word        | Code(s)     |                  | Hazard Statement Code(s) |
| 2                             | Skin Irrit. 2, Eye Irrit. 2, STOT RE 1                  | Wng, GHS08,   |                               | Vng, GHS08, Dgr       |             |                  | H315, H319, H372         |
| Harmonisation Code 1 = Ti     | he most prevalent classification. Harmonisation         | Code 2 =      | The most seve                 | ere classification.   |             |                  |                          |
| Ingredient                    | CAS number  | Index N       | 0                             |                       | ECHA Doss   | ior              |                          |
| C.I. Pigment Green 7          | 1328-53-6   | Not Available |                               | 01-2119459333-39-XXXX |             |                  |                          |
| Harmonisation (C&L Inventory) | Hazard Class and Category Code(s)                       |               | Pictogra                      | ms Signal Word        | Code(s)     |                  | Hazard Statement Code(s) |
| 2                             | Acute Tox. 4, Eye Irrit. 2, STOT SE 3                   |               | GHS07, V                      | Vng                   |             |                  | H312, H319, H335         |
| Harmonisation Code 1 = Ti     | he most prevalent classification. Harmonisation         | Code 2 =      | The most seve                 | ere classification.   |             |                  |                          |

Index No

**ECHA Dossier** 

Version No: **1.0** Page **9** of **9** Issue Date: **07/01/2015** 

diethylene glycol 111-46-6 603-140-00-6 01-2119457857-21-XXXX

| Harmonisation (C&L Inventory)  | Hazard Class and Category Code(s)                               | Pictograms Signal Word Code(s) | Hazard Statement Code(s)     |  |
|--|---|--------------------------------|------------------------------|--|
| 1  | Acute Tox. 4  | GHS07, Wng                     | H302                         |  |
| 2  | Acute Tox. 4, STOT RE 2, Eye Irrit. 2, STOT SE 3, Skin Irrit. 2 | Wng, GHS08, Dgr                | H302, H373, H319, H336, H315 |  |
| Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification. |   |                                |                              |  |

### **SECTION 16 OTHER INFORMATION**

### Full text Risk and Hazard codes

| H226 | Flammable liquid and vapour                                       |
|------|---|
| H301 | Toxic if swallowed  |
| H302 | Harmful if swallowed  |
| H312 | Harmful in contact with skin                                      |
| H314 | Causes severe skin burns and eye damage                           |
| H315 | Causes skin irritation  |
| H319 | Causes serious eye irritation                                     |
| H335 | May cause respiratory irritation                                  |
| H336 | May cause drowsiness or dizziness                                 |
| H372 | Causes damage to organs through prolonged or repeated exposure    |
| H373 | May cause damage to organs through prolonged or repeated exposure |
|      |   |
| R22  | Harmful if swallowed.   |

### Other information

The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices