Safety Data Sheet

Revision Number: 010.0

Issue Date: 08/11/2014

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Product identifier used on the label: Soft Scrub® with Lemon Soft Scrub® with Baking Soda

Other means of identification: 1432909, 1551126, 1775519, 1407931, 1563069 (SS Lemon); 1417184, 1563068, 1722708 (SS w/Baking Soda)

Recommended use of the chemical and restrictions on use: Cleansing Cream, Do not mix with other products.

Name, address and telephone number of the chemical manufacturer:

The Dial Corporation, a Henkel Company 7201 E. Henkel Way Scottsdale, AZ 85255-9672 USA

CHEMTREC: 1-800-424-9300 (24 hours daily) Internet: www.henkelna.com

Emergency telephone number: Medical Emergencies: 1-888-689-9082

2. HAZARD IDENTIFICATION

Classification of the substance or mixture in accordance with paragraph (d) of §1910.1200

HAZARD CLASS	HAZARD CATEGORY
SERIOUS EYE DAMAGE	1

Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with paragraph (f) of §1910.1200

Signal word: Hazard Statement(s): DANGER Causes serious eye damage.

Symbol(s):

Precautionary Statements:

Prevention:	Wear eye and face protection.
Response:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
	remove. Continue rinsing.
	IF exposed or concerned: Get medical attention.
Storage:	Not prescribed
Disposal:	Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Hazards not otherwise classified: Not available.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

The following chemicals are classified as health hazards in accordance with paragraph (d) of § 1910.1200.

Chemical Name*	CAS Number (Unique Identifier)	Concentration	Classification §1910.1200
Limestone	1317-65-3	30 - 60 %	Eye irritation 2B
Sulfonic acids, C13-17-sec-alkane, sodium salts	85711-69-9	5 - 10%	Serious eye damage 1
Alcohols, C10-14, 8EO	66455-15-0	1 - 5%	Skin irritation 2; Dermal Serious eye damage 1

The Dial Corporation, a Henkel Company; 7201 E. Henkel Way; Scottsdale, AZ 85255-9672

Hard Surface Cleaner

Page 1 of 5

Sodium chloride	7647-14-5	1 - 5%	Eye irritation 2B	i
			Skin irritation 2	

*The specific chemical identity and/or exact percentage (concentration) of composition has been withheld because a trade secret is claimed in accordance with paragraph (i) of §1910.1200.

4. FIRST AID MEASURES

Description of necessary measures

Inhalation: Remove from exposure area to fresh air. Treat symptomatically and supportively.

Skin contact: Rinse affected area with large amounts of mild soap and water until no evidence of product remains. Get medical attention if irritation persists.

Eye contact: Rinse eyes immediately with plenty of water, occasionally lifting upper and lower lids, until no evidence of product remains. Get medical attention if pain or irritation develops.

Ingestion: Dilution by rinsing the mouth and giving water or milk to drink is generally recommended. Do not induce vomiting. Contact physician or local poison control center.

Most important symptoms and effects, both acute and delayed

After eye contact: Moderate to strong irritation of the eyes (redness, swelling, burning, watering eyes). After skin contact: Repeated or prolonged excessive exposure can cause mild skin irritation or dermatitis. After Ingestion: Ingestion of large amounts may cause some gastrointestinal discomfort including nausea, vomiting, abdominal pain, diarrhea, and lethargy. Nausea and vomiting may occur. After inhalation: Irritating, in high concentration, to the respiratory tract (nose, throat, and lungs).

Indication of any immediate medical attention and special treatment needed

After eye contact: Rinse eyes immediately with plenty of water, occasionally lifting upper and lower lids, until no evidence of product remains. After skin contact: Rinse affected area with large amounts of water until no evidence of product remains. After ingestion: Dilution by rinsing the mouth and giving a glass of water to drink is generally recommended. After inhalation: Remove from exposure area to fresh air.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray or regular foam. Unsuitable extinguishing media: None known

Specific hazards arising from the chemical

Oxides of carbon and oxides of nitrogen.

Special protective equipment and precautions for fire-fighters

In case of fire, wear a full-face positive-pressure self-contained breathing apparatus and protective suit. Move containers from fire area if you can do it without risk. Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Avoid breathing hazardous vapors, keep upwind. Isolate area. Keep unnecessary personnel away.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear skin, eye and respiratory protection as recommended in Section 8. Stop leak if you can do it without risk. Spills present a slipping hazard. Keep unnecessary personnel away. Ventilate spill area if possible. Make sure area is slip-free before re-opening to traffic.

Environmental Precautions

Small or household quantities may be disposed in sewer or other liquid waste system. For larger quantities check with your local disposal authorities.

Methods and materials for containment and cleaning up

SMALL SPILLS: Contain and absorb with sand or other absorbent material and place into clean, dry containers for later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Dike far ahead of spill to prevent further movement. Recover by pumping or by using a suitable absorbent material and place into containers for later disposal. Dispose in suitable waste container.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not get in eyes, on skin, on clothing. Do not take internally. Use with adequate ventilation. Keep the containers closed when not in use. Have emergency equipment (for fires, spills, leaks, etc.) readily available.

Conditions for safe storage, including any incompatibilities

Store in original containers in a cool dry area. Storage areas for large quantities (warehouse) should be well ventilated. Keep the containers tightly closed when not in use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available.

The Dial Corporation, a Henkel Company; 7201 E. Henkel Way; Scottsdale, AZ 85255-9672

Hazardous Component(s)	ACGIH	OSHA PEL	AIHA WEEL	OTHER
Limestone	10 mg/m3 TWA Total dust.	5 mg/m3 PEL Respirable fraction. 15 mg/m3 PEL Total dust.	None	None
Alcohols, C10-14, 8EO	None	None	None	None
Sodium chloride	None	None	None	None

Appropriate engineering controls

Provide local exhaust or general dilution ventilation to keep exposure to airborne contaminants below the permissible exposure limits where mists or vapors may be generated.

Individual protection measures

Respiratory: Air contamination monitoring should be carried out where mists or vapors are likely to be generated, to assure that the employees are not exposed to airborne contaminants above the permissible exposure limits.

Eye: Splash-proof safety glasses are required to prevent eye contact where splashing of product may occur.

Hand/Body: Protective gloves are required where repeated or prolonged skin contact may occur. Protective clothing is required where repeated or prolonged skin contact may occur.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	cream, white
Odor:	lemon
Odor threshold:	Not available.
pH:	10.5 - 12.0 (25 °C)
Melting point/ range:	Not available.
Boiling point/range:	Not available.
Flash point:	> 93.3 °C (> 199.94 °F)
Evaporation rate:	Not available.
Flammable/Explosive limits - lower:	Not available.
Flammable/Explosive limits - upper:	Not available.
Vapor pressure:	Not available.
Vapor density:	Not available.
Solubility in water:	Not available.
Partition coefficient (n-octanol/water)	: Not available.
Autoignition temperature:	Not available.
Decomposition temperature:	Not available.
Viscosity:	5,000 - 12,000 mPa.s
VOC content:	Not available.

10. STABILITY AND REACTIVITY

Reactivity:

This product reacts with acids.

Chemical stability: Stable under normal ambient temperature (70°F, 21°C) and pressure (1 atm).

Possibility of hazardous reactions: Hazardous polymerization has not been reported to occur under normal temperatures and pressures.

Conditions to avoid: Avoid storing in direct sunlight and avoid extremes of temperature.

Incompatible materials: Strong oxidizers, acids. Reacts with other household chemicals such as acid toilet bowl cleaners, rust removers, acids, vinegar, and ammonia-containing products to produce hazardous gases, such as chlorine and other chlorinated compounds.

Hazardous decomposition products: Thermal decomposition may produce irritating smoke, carbon monoxide, and carbon dioxide.

11. TOXICOLOGICAL INFORMATION

Likely routes of exposure including symptoms related to characteristics

Inhalation: Irritating, in high concentration, to the respiratory tract (nose, throat, and lungs).
Skin contact: Repeated or prolonged excessive exposure can cause mild skin irritation or dermatitis.
Eye contact: This product may cause moderate eye irritation.
Ingestion: Ingestion of large amounts may cause some gastrointestinal discomfort including nausea, vomiting, abdominal pain, diarrhea, and lethargy.
Physical/Chemical: The product is alkaline.

Other relevant toxicity information:

This product is a household product. The use of this product by consumers is safe under normal and reasonable foreseen use.

Numerical measures of toxicity, including delayed and immediate effect

The Dial Corporation, a Henkel Company; 7201 E. Henkel Way; Scottsdale, AZ 85255-9672

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects	
Limestone	None	Nuisance dust	
Sulfonic acids, C13-17-sec-alkane, sodium salts	None	No Data	
Alcohols, C10-14, 8EO	None	No Records	
Sodium chloride	Oral LD50 (RAT) = 3.000 mg/kg	Irritant	

Carcinogenicity information

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Limestone	No	No	No
Sulfonic acids, C13-17-sec-alkane, sodium salts	No	No	No
Alcohols, C10-14, 8EO	No	No	No
Sodium chloride	No	No	No

Carcinogenicity

None of the ingredients in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). None of the ingredients in this product are known to cause mutagenicity

Mutagenicity Toxicity to reproduction

None of the ingredients in this product are known as reproductive, fetal, or developmental hazards.

12. ECOLOGICAL INFORMATION

Aquatic Toxicity:

This product is anticipated to be safe for the environment at concentrations predicted in household settings under normal use conditions. The following toxicity information is available for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings.

Toxicity to fish:

Hazardous substances	Value type	Value	Acute toxicity study	Exposure time	Species	Method
Calcium carbonate	LC50	> 10.000 mg/l	Fish	96 h		OECD 203
Sulfonic acids, C13-17-sec-alkane, sodium salts	LC50	4.1 mg/l	Fish	48 h	Leuciscus idus	DIN 38412-15
Alcohols, C10-14, 8EO	LC50	1 - 10 mg/l	Fish			OECD Guideline 203
Sodium chloride	LC50	11.100 mg/l	Fish	96 h	Salmo gairdneri	OECD Guideline 203

Toxicity to aquatic invertebrates:

Hazardous substances	Value type	Value	Acute toxicity study	Exposure time	Species	Method
Calcium carbonate	EC50	> 1.000 mg/l	Daphnia	48 h	Daphnia magna	OECD 202
Sulfonic acids, C13-17-sec-alkane, sodium salts	EC50	7.5 mg/l	Daphnia	24 h	Daphnia magna	
Alcohols, C10-14, 8EO	EC50	1 - 10 mg/l	Daphnia		Daphnia magna	OECD Guideline 202
Sodium chloride	EC50	4.135 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202

Toxicity to algae:

Hazardous substances	Value type	Value	Acute toxicity study	Exposure time	Species	Method
Calcium carbonate	EC50	> 200 mg/l	Algae	72 h	Daphnia magna	OECD 201
Sulfonic acids, C13-17-sec-alkane, sodium salts	EC50	95.5 mg/l	Algae	72 h	Desmodesmus subspicatus	OECD 201
Alcohols, C10-14, 8EO	EC50	1 - 10 mg/l	Algae		Daphnia magna	OECD Guideline 201
Sodium chloride	EC50	4.967 mg/l	Algae	72 h	Chlamydomonas reinhardtii	OECD Guideline 201

Persistence and Degradability:

Hazardous substances	Result Value	Route of	Species	Method
		application		
Sulfonic acids, C13-17-sec-alkane, sodium salts	readily biodegradable	aerobic	71 %	EU Method C.4-E
				(closed bottle)
Alcohols, C10-14, 8EO	readily biodegradable	No data	> 60 %	OECD 301 A - F

Bioaccumulation Potential: The bioaccumulation potential of this product has not been determined.

The Dial Corporation, a Henkel Company; 7201 E. Henkel Way; Scottsdale, AZ 85255-9672

Not regulated

13. DISPOSAL CONSIDERATIONS

Waste Number and Description: Disposal Considerations: Disposal of products:

Disposal of packages:

Additional information:

This product is not a RCRA hazardous waste and can be disposed of in accordance with federal, state and local regulations. Place in trash. Observe all federal, state and local regulations when storing or disposing of this substance

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR) Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

International Air Transportation (ICAO/IATA) Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

Water Transportation (IMO/IMDG) Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

15. REGULATORY INFORMATION

Occupational Safety and Health Act: Hazard Communication Rule, 29 CFR 1910.1200: The Occupational Safety and Health Administration (OSHA) require Material Safety Data Sheets (MSDSs) to provide information about any hazard that may be associated with the product and make this information available in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this MSDS may contain health hazard information not relevant to consumer use.

United States Regulatory Information:

Consumer Product Safety Commission (CPSC): This product is regulated as a consumer product under CPSC. TSCA: All components of this product are listed on U.S. Toxic Substances Control Act (TSCA) chemical substance inventory. EPA CERCLA/SARA TITLE III Superfund Amendment and Reauthorization Act: This product contains no CERCLA/SARA Title III materials CERCLA/SARA Section 302 EHS: Not available CERCLA/SARA 311/312: This product contains no hazardous chemicals reportable under Sections 311/312. This product contains no hazardous chemicals reportable under Section 304.

CERCLA/SARA 313: Not applicable - Consumer product

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

Canada Regulatory Information:

CEPA DSL/NDSL Status: One or more components are not listed on, and are not exempt from listing on either the Domestic Substances List or the Non-Domestic Substances List.

16. OTHER INFORMATION

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: R&D Support Services

Issue date: 08/11/2014

Supercedes: Rev. 9, 04/14/2014

The Dial Corporation, a Henkel Company; 7201 E. Henkel Way; Scottsdale, AZ 85255-9672