

Safety Data Sheet



1. COMPANY AND PRODUCT IDENTIFICATION

iLoveT₀Create EMERGENCY TELEPHONE NUMBERS

A Duncan Enterprises Company Health Emergencies:

5673 East Shields Avenue 559-291-4444 7:00 am – 3:30 pm Pacific Std. Time

Fresno, CA 93727 Spill and Off-Hour Health Emergencies:

559-291-4444 800-424-9300 U.S. and Canada

559-291-9444 (Fax) 703-527-3887 Outside U.S. and Canada (Collect)

Product Name: TULIP FABRIC SPRAY PAINT

Product Description: Fabric Spray Paint

2. HAZARDS IDENTIFICATION

HMIS Hazard Ratings for Product		Rating Scale:
Health	1	0 = Minimal
Flammability	0	1 = Slight
Reactivity	0	2 = Moderate
Personal Protection	See	3 = Serious 4 = Severe
	Section 8	* = Chronic Effects

3. COMPOSITION / INGREDIENT INFORMATION

The ingredients in this formulation are a trade secret. All ingredients in the formula are non-hazardous, unless specified in Sections 2 and 15.

4. FIRST AID MEASURES

Eye Contact: Flush eyes with large amounts of water until irritation subsides. Consult a

physician if irritation persists.

Skin Wash affected skin areas thoroughly with soap and water. Consult a physician if

Contact: irritation persists.

Inhalation: Move subject to fresh air.

Ingestion: If swallowed, give two glasses of water to drink. Consult a physician. Never give

anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Autoignition Temperature:	Unknown
Flash Point:	Not Applicable
Upper Explosive Limit (%):	Not Applicable
Lower Explosive Limit (%):	Not Applicable
Extinguisher Media:	CO ₂ , Dry Chemical, Foam – Use extinguishing media appropriate for surrounding fire
Special Firefighting Procedures:	Not Applicable
Fire & Explosion Hazards:	Not Applicable
NFPA Flammability Hazard Class:	0 = Insignificant

6. ACCIDENTAL RELEASE MEASURES

Spill or Leak Spills should be taken up with suitable absorbent material and placed in containers. Spill areas can be washed with water; collect wash water for

approved disposal. Do not flush to storm sewer or waterway.

For safety and environmental precautions, please review entire Safety Data Sheet for necessary information.

7. HANDLING AND STORAGE

Storage Temperature: 40° - 100°F

Handling / Storage: Protect from freezing; keep container sealed when not in use.

Ventilation Requirements: General

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Conditions Under Which Personal

Protective Equipment Required: Normal work conditions, maintenance / repair.

Eye Protection Requirements: Wear safety glasses with side shields.

Glove Requirements: Gloves not normally required for foreseeable conditions of

use.

Clothing Requirements: Protective clothing is normally not necessary for

foreseeable conditions of use.

Change / Removal of Clothing: None required

Wash Requirements: None

Respirator Requirements: None required under normal handling conditions.

Ventilation Requirements: General

9. PHYSICAL AND CHEMICAL PROPERTIES

Pure Material or Mixture: Mixture **Physical Form:** Liquid **Appearance / Physical Description:** Colored liquid; slight odor pH: 7.5 - 8.5**Boiling Point:** > 212°F **Melting / Freezing Point:** < 32°F Odor Threshold: Not Applicable Miscible Solubility in Water: Partition Coefficient (n-octanol/water): Not Applicable **Specific Gravity (Water = 1):** 1.0 - 1.1**Bulk Density:** 8.3 - 9.2 lb / gal Volatiles: >80% / wt **Vapor Pressure:** 17.5 mm Hg @ 20°C (68°F) **Evaporation Rate (Water = 1):** 0.62 Vapor Density (Air = 1): 1 **Volatile Organic Compounds:** 478 g / I **Autoignition Temperature:** Unknown Flash Point: Not Applicable Not Applicable **Oxidizing Properties:**

10. STABILITY AND REACTIVITY

Stability: Stable

Incompatibilities: Materials that react with water

NFPA Reactivity Hazard Class: 0 = Insignificant

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide

Hazardous Polymerization: Will not occur

11. TOXICOLOGICAL INFORMATION

Acute (Short-Term) Effects of Exposure

Route of Entry

Acute Effects – Eye: Slight, transient

Acute Effects – Skin Contact: No hazard in normal industrial use
Acute Effects – Inhalation: No hazard in normal industrial use
Acute Effects – Ingestion: No hazard in normal industrial use

Chronic (Long-Term) Effects of Exposure

Effect of Chronic This product should be considered non – hazardous and has no

Exposure: known chronic effects.

Target Organs: Not applicable

Carcinogenicity: None

12. ECOLOGICAL INFORMATION

No Applicable Data

13. DISPOSAL CONSIDERATIONS

Waste Disposal Waste disposal should be in accordance with existing Federal, State,

Methods: and Local environmental regulations.

Empty Container Empty containers may contain product residue; follow SDS and label

Warnings: warnings even after they have been emptied.

14. TRANSPORT INFORMATION

U.S. Department of Transportation Information

DOT Shipping Name: Paints or Stains 149980 Sub. 2

DOT Hazard Class: Non-hazardous

DOT Reportable Quantity: None

United Nations Information
U.N. Number: None

U.N. Class: None

15. REGULATORY INFORMATION

TSCA: All components are on the TSCA Inventory

FDA: 21CFR175.105

SARA/Title III: This product contains no substances at or above the reported threshold under

Section 313, based on available data.

CONFORMS TO
NONTOXIC
ASTM D-4236

Products bearing the Nontoxic Product Seal are certified in a program of toxicological evaluation by a nationally recognized toxicologist to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236.

In addition, there is no physical hazard as defined within 29 CFR Part

1910.1200(c).

16. OTHER INFORMATION

	Table of Abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists	
ANSI	American National Standards Institute	
ASTM	American Society for Testing Materials	
°C	Degrees Centigrade	
CAS	Chemical Abstract Service	
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act	
CFR	Code of Federal Regulations	
CPR	Controlled Products Regulations	
DOT	Department of Transportation	
EPA	Environmental Protection Agency	
°F	Degrees Fahrenheit	
FDA	Food & Drug Administration	
g/I	Grams per liter	
DOT	Department of Transportation	
EPA	Environmental Protection Agency	
°F	Degrees Fahrenheit	
FDA	Food & Drug Administration	
g/I	Grams per liter	
Hg	Mercury	
HMIS	Hazardous Materials Identification System	
IARC	International Agency for Research on Cancer	
LD	Lethal Dose	
mg / kg	Milligram per kilogram	
mm	Millimeter	
SDS	Safety Data Sheet	
MSHA	Mine Safety and Health Administration	
N/A	Not Applicable	
NFPA	National Fire Protection Association	
NIOSH	National Institute for Occupational Safety and Health	
NTP	National Toxicology Program	
OSHA	Occupational Safety and Health Administration	
ppm	Parts per million	
SARA	Superfund Amendment and Reauthorization Act	
STEL	Short-Term Exposure Limit	

16. OTHER INFORMATION (Continued)

Table of Abbreviations (Continued)		
TSCA	Toxic Substances Control Act	
TWA	Time - Weighted Average	
U.N.	United Nations	
WHMIS	Workplace Hazardous Materials Information System	
>	Greater Than	
<	Less Than	

Creation Date: 01/15/09
Revision Date: 03/13/15
Technical Contact: Frank Peters
Research & Development Manager
iLoveToCreate
A Duncan Enterprises Company
5673 East Shields Avenue
Fresno, CA 93727
559-291-4444
559-291-9444 (Fax)

Disclaimer

The information given and the recommendations made herein apply to our product(s) alone and not combined with any other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.