

FancyHeat

Page: 1/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017 Revision: August 10, 2017

1 Identification

· Product identifier

· Trade name: FancyHeat Methanol Blue

· Product code: 17800-F800, F805, F810, F815, F820, F825, F835, F840, F105

· Recommended use and restriction on use

· Recommended use: Fuel

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:
 Fancyheat Corporation
 40 Veronica Avenue
 Somerset, NJ 08873 USA

1-973-589-1450

· Emergency telephone number:

CHEMTREC

1-800-424-9300 (US/Canada) +01 703-527-3887 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 3 H226 Flammable liquid and vapor.

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.

Eye Irrit. 2B H320 Causes eye irritation.

STOT SE 1 H370 Causes damage to the central nervous system and optic nerve.

· Additional information: There are no other hazards not otherwise classified that have been identified.

Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:







GHS02 GHS06 GHS08

· Signal word: Danger · Hazard statements:

H226 Flammable liquid and vapor.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H320 Causes eye irritation.

H370 Causes damage to the central nervous system and optic nerve.

· Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

(Cont'd. on page 2)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017 Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

(Cont'd. of page 1)

P240 Ground/bond container and receiving equipment.
P243 Take precautionary measures against static discharge.

P260 Do not breathe vapors.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves and eye protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P330 Rinse mouth.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use foam, powder, or carbon dioxide for extinction.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Component	S:
-------------	----

67-56-1	methanol	♠ Flam. Lig. 2, H225	60-80%
		Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	
		Eye Irrit. 2B, H320	

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

4 First-aid measures

Description of first aid measures

After inhalation:

Supply fresh air.

Provide oxygen treatment if affected person has difficulty breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

· After skin contact:

Immediately remove any clothing soiled by the product.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eve contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

(Cont'd. on page 3)

Page: 2/12



faty Data Shoot

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017 Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

(Cont'd. of page 2)

Page: 3/12

Seek immediate medical advice.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Headache

Thirst

Dizziness

Nausea

Acidosis

Coughing

Blindness

Disorientation

Unconsciousness

Danger:

Danger of impaired breathing.

Danger of circulatory collapse.

Danger of convulsion.

Causes damage to the central nervous system and optic nerve.

Toxic if swallowed, in contact with skin or if inhaled.

· Indication of any immediate medical attention and special treatment needed:

Contains méthanol. Consult literature for specific antidotes.

If medical advice is needed, have product container or label at hand.

Medical supervision for at least 48 hours.

Monitor circulation, possible shock treatment.

If necessary oxygen respiration treatment.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

Flammable liquid and vapor.

During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information:

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water spray.

Use large quantities of foam as it is partially destroyed by the product.

(Cont'd. on page 4)



Page: 4/12

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017

Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

(Cont'd. of page 3)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Use personal protective equipment as required.

Ensure adequate ventilation.

Keep away from ignition sources.

Protect from heat.

Isolate area and prevent access.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

·Handling

· Precautions for safe handling:

Prevent formation of aerosols.

Use only in well ventilated areas.

Open and handle receptacle with care.

Avoid contact with the eyes and skin.

Keep out of reach of children.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Flammable liquid and vapor.

· Conditions for safe storage, including any incompatibilities

- Storage
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No relevant information available.

(Cont'd. on page 5)



Page: 5/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017 Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

(Cont'd. of page 4)

8 Exposure controls/personal protection

· Control parameters

	· Components with limit values that require monitoring at the workplace:		
Ì	67-56-1 methanol		
Ī	PEL (USA)	Long-term value: 260 mg/m³, 200 ppm	
	REL (USA)	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin	
	TLV (USA)	Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI	
	EL (Canada)	Short-term value: 250 ppm Long-term value: 200 ppm Skin	
	EV (Canada)	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin	
	LMPE (Mexico)	Short-term value: 250 ppm Long-term value: 200 ppm PIEL, IBE	

· Ingredients with biological limit values:

67-56-1 methanol

BEI (USA) 15 mg/L

Medium: urine Time: end of shift

Parameter: Methanol (background, nonspecific)

Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- · Engineering controls: No relevant information available.
- · Breathing equipment:

Not required under normal conditions of use.

For large spills, respiratory protection may be advisable.

Protection of hands:

Wear protective gloves to handle contents of damaged or leaking units.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Butyl rubber, BR

(Cont'd. on page 6)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017 Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

(Cont'd. of page 5)

Page: 6/12

Rubber gloves Neoprene gloves

- · Not suitable are gloves made of the following materials: PVA gloves
- · Eye protection: Follow relevant national guidelines concerning the use of protective eyewear.
- · Body protection:

Not required under normal conditions of use.

Protection may be required for spills.

· Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures See Section 7 for additional information.

9 Physical and chemical properties		
Information on basic physical and chemical properties		
· Appearance:		
Form:	Gel liquid.	
Color:	Blue	
· Odor:	Alcohol-like	
· Odor threshold:	Not determined.	
· pH-value:	7-8	
· Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	64 - 82°C (147 - 180 °F)	
· Flash point:	25.5°C (78 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	477°C (891 °F)	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.	
· Explosion limits		
Lower:	5.5 Vol %	
Upper:	44.0 Vol %	
· Vapor pressure at 20°C (68 °F):	128 hPa (96 mm Hg)	
· Density:		
Relative density:	0.8	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	-	
Viscosity		
Dynamic:	Not determined.	
	(Cont'd. on page	



Page: 7/12 Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017 Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

(Cont'd. of page 6)

Kinematic: Not determined.

• Other information No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability:
- Thermal decomposition / conditions to be avoided:

Avoid open flame, ignition sources, contact with incompatibile substances.

· Possibility of hazardous reactions

Flammable liquid and vapor.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized. Reacts with strong oxidizing agents.

- · Conditions to avoid Excessive heat.
- Incompatible materials Oxidizing agents
- · Hazardous decomposition products Carbon monoxide and carbon dioxide

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: No sensitizing effects known.
- IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Inhalation.

Eve contact.

Skin contact.

Ingestion.

· Acute effects (acute toxicity, irritation and corrosivity):

Toxic if swallowed, in contact with skin or if inhaled.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Causes damage to the central nervous system and optic nerve.

(Cont'd. on page 8)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017 Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

(Cont'd. of page 7)

Page: 8/12

- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Waste disposal key: EPA RCRA Code (USA): U154, D001.
- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
· UN-Number · DOT	UN1987
· ADR, IMDG, IATA	UN1986
UN proper shipping name	
· DOT	Alcohols, flammable, n.o.s. (Methanol)
· ADR, IMDG	ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. (METHANOL)
· IATA	Alcohols, flammable, toxic, n.o.s. (Methanol)

(Cont'd. on page 9)



Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Page: 9/12

Printing date: August 10, 2017 Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

	(Cont'd. of pa
· Transport hazard class(es)	
· DOT	
OMMORE 1220	
· Class	3 Flammable liquids
· Label	3
· ADR	

·Class	3 (FT1) Flammable liquids
· Label	3+6.1
· IMDG	
· Class	3 Flammable liquids
· Label	3/6.1
IATA	
· Class	3 Flammable liquids
Label	3 (6.1)
· Packing group · DOT, ADR, IMDG, IATA	III
· Environmental hazards · Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	36
· EMS Number:	F-E,S-D
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	
WARFOL/3//0 and the IBC Code	Not applicable.
	(Cont'd. on pag



Page: 10/12

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017 Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

(Cont'd. of page 9)

· Transport/Additional information:

· DOT



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

· ADR



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

·IMDG



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each.

· IATA



Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L each / 2 L net.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

67-56-1 methanol

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

(Cont'd. on page 11)



Page: 11/12

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017 Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

(Cont'd. of page 10)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

67-56-1 methanol

Carcinogenic categories

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision August 10, 2017 / -

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxique vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

LDLo: Lowest Lethal Dose Observed

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 3: Acute toxicity – Category 3

Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B

STOT SE 1: Specific target organ toxicity (single exposure) - Category 1

Sources

(Cont'd. on page 12)



Page: 12/12 Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 10, 2017 Revision: August 10, 2017

Trade name: FancyHeat Methanol Blue

(Cont'd. of page 11)

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com